

Asia Submarine-cable Express (ASE) – Tseung Kwan O

Baseline Water Quality Monitoring Report (Zone B)

25 September 2012

Environmental Resources Management
16/F DCH Commercial Centre
25 Westlands Road
Quarry Bay, Hong Kong
Telephone 2271 3000
Facsimile 2723 5660

www.erm.com




Asia Submarine-cable Express (ASE) – Tseung Kwan O

**Environmental Resources
Management**

16/F DCH Commercial Centre
25 Westlands Road
Quarry Bay
Hong Kong
Telephone: (852) 2271 3000
Facsimile: (852) 2723 5660
E-mail: post.hk@erm.com
http://www.erm.com

Baseline Water Quality Monitoring Report (Zone B)

Document Code: 0171870 WQM Baseline Flyer Sheet.doc

| | | | | | |
|--|---|---|---------|----------|-----------|
| Client: | | GMS No: | | | |
| NTT Com Asia Ltd | | 0171870 | | | |
| Summary: | | Date: | | | |
| <p>This report presents the monitoring requirements, methodologies and results of the baseline ambient marine water quality measurements at the monitoring locations near Tseung Kwan O in accordance with the EM&A Manual.</p> | | 25 September 2012 | | | |
| | | Approved by: | | | |
| | |  | | | |
| | | Terence Fong Project Director | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 0 | Baseline Water Quality Monitoring Report (Zone B) | YL | GYANG | TFONG | 25 Sep 12 |
| Revision | Description | By | Checked | Approved | Date |
| <p>This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.</p> <p>This report has been prepared by Environmental Resources Management the trading name of 'ERM Hong-Kong, Limited', with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.</p> <p>We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.</p> <p>This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.</p> | | <p>Distribution</p> <p><input checked="" type="checkbox"/> Internal</p> <p><input checked="" type="checkbox"/> Public</p> <p><input type="checkbox"/> Confidential</p> | | | |
| | |    | | | |

**Asia Submarine-cable Express (ASE) – Tseung Kwan O
Environmental Certification Sheet
EP-433/2011**


Reference Document/Plan

| | |
|--|---|
| Document/ Plan to be Certified/ Verified: | Baseline Water Quality Monitoring Report (Zone B) |
| Date of Report: | 25 September 2012 |
| Date prepared by ET: | ERM-Hong Kong Ltd |
| Date received by IEC: | Ecosystem Ltd |


Reference EM&A Manual/ EP Requirement

| | |
|--------------------------|--|
| EM&A Manual Requirement: | Section 2 |
| Content: | <i>Water Quality Monitoring</i> |
| 2.5 | “The Baseline Monitoring Report shall be provided no later than two weeks before the cable laying work and report should be submitted to EPD for agreement on the Action/Limit Levels.....” |
| 2.6 | “The Baseline Monitoring Report shall include the following details: brief project background information; drawings showing locations of the baseline monitoring station; an updated construction programme with milestones of environmental protection/ mitigation activities annotated...” |
| EP Condition: | Condition No. 2.4 |
| Content: | <i>Baseline Monitoring Report on Water Quality</i> |
| (ii)(a) | To monitor the environmental impacts and timely implementation of the recommended mitigation measures, the Permit Holder shall submit to the Director four hard copies and one electronic copy of the baseline monitoring report on water quality no later than two weeks before the commencement of construction works, as defined in the approved EM&A Manual. |

ET Certification

| | |
|---|-------------------------|
| I hereby certify that the above referenced document/ plan complies with the above referenced condition of EP-433/2011. | |
|  | |
| Terence Fong, Environmental Team Leader: | Date: 25 September 2012 |

IEC Verification

| | |
|--|-------------------------|
| I hereby verify that the above referenced document/ plan complies with the above referenced condition of EP-433/2011. | |
|  | |
| Dr Vincent Lai, Independent Environmental Checker: | Date: 25 September 2012 |

CONTENTS

| | | |
|----------|----------------------------------|----------|
| | EXECUTIVE SUMMARY | I |
| 1 | INTRODUCTION | 1 |
| 1.1 | BACKGROUND | 1 |
| 1.2 | PURPOSE OF THIS REPORT | 2 |
| 1.3 | STRUCTURE OF THE REPORT | 2 |
| 2 | WATER QUALITY MONITORING | 3 |
| 2.1 | MONITORING LOCATION | 3 |
| 2.2 | SAMPLING AND TESTING METHODOLOGY | 4 |
| 2.3 | BASELINE MONITORING RESULTS | 6 |
| 2.4 | ACTION AND LIMIT LEVELS | 7 |
| 3 | CONCLUSION | 9 |

ANNEXES

Annex A Baseline Water Quality Monitoring Schedule for Zone B

Annex B Calibration Reports of Multi-parameter Sensor

Annex C QA/QC Results for Suspended Solids Testing

Annex D Baseline Water Quality Monitoring Results for Zone B

EXECUTIVE SUMMARY

Baseline Water Quality Monitoring

Baseline water quality monitoring has been conducted between 17 September 2012 and 21 September 2012 at 12 designated monitoring stations (including 8 Sensitive Receiver Stations, 3 Gradient Stations and 1 Control Station) established for the Project. *In situ* water quality measurements and water samples were taken at the monitoring stations on three occasions (days), at three depths (surface, middle and bottom) where practical. The intervals between two sets of monitoring were not less than 36 hours. The water quality sampling was undertaken within a 4 hour window of 2 hour before and 2 hour after mid flood and mid-ebb tides. The tidal range selected for the baseline monitoring was at least 0.5 m for both flood and ebb tides as far as practicable.

No major activities influencing water quality were observed in the vicinity of the Project's marine works area during the baseline monitoring. Water quality monitoring results are, therefore, considered to be representative for the baseline conditions of the areas where marine works will be undertaken for the Project.

In accordance with the *EM&A Manual*, the baseline monitoring results were used to determine the Action and Limit Levels for Dissolved Oxygen (DO), Suspended Solids (SS) and Turbidity for the impact water quality monitoring which will be conducted during marine works of the Project. The Action and Limit Levels are summarized in *Table 1* below.

Table 1

Action and Limit Levels for Water Quality

| Parameter | Action Level | Limit Level |
|---|---|---|
| SS in mgL ⁻¹ (Depth-averaged) ^(a) ^(c) | 95%-ile of baseline data (4.09 mg L ⁻¹), or | 99%-ile of baseline data (4.60 mg L ⁻¹), and |
| | 20% exceedance of value at any impact station compared with corresponding data from control station | 30% exceedance of value at any impact station compared with corresponding data from control station |
| DO in mgL ⁻¹ ^(b) | <u>Surface and Middle</u> ^(d) | <u>Surface and Middle</u> ^(d) |
| | 5%-ile of baseline data for surface and middle layer (4.72 mg L ⁻¹) | 5mg/L or 1%-ile of baseline data for surface and middle layer (4.57 mg L ⁻¹) |
| | <u>Bottom</u> | <u>Bottom</u> |
| | 5%-ile of baseline data for bottom layers (4.52 mg L ⁻¹) | 2mg/L or 1%-ile of baseline data for bottom layer (4.44 mg L ⁻¹) |
| Turbidity in NTU (Depth-averaged) ^(a) ^(c) | 95%-ile of baseline data (3.01 NTU), or | 99%-ile of baseline data (3.13 NTU), and |
| | 20% exceedance of value at any impact station compared with corresponding data from control station | 30% exceedance of value at any impact station compared with corresponding data from control station |

Notes:

- e. "Depth-averaged" is calculated by taking the arithmetic means of reading of all sampled depths.
- f. For DO, non-compliance of the water quality limits occurs when the monitoring result is lower than the limits.
- g. For SS and turbidity, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.
- h. The Action and Limit Level for DO for surface and middle layer were calculated from the combined pool of baseline surface layer data and baseline middle layer data.

1.1

BACKGROUND

NTT Com Asia (NTTCA) proposes to install a telecommunication cable (Asia Submarine-cable Express (ASE) cable) of approximately 7,200 km in length, connecting Japan and Singapore with branches to the Philippines, Hong Kong SAR (HKSAR) and Malaysia. NTTCA is responsible for securing the approval to land the ASE cable in Tseung Kwan O, Hong Kong SAR (HKSAR). The proposed landing site will be at a new Beach Manhole (BMH) and ultimately connect with a Data Centre in Tseung Kwan O (TKO) Industrial Estate which is scheduled for completion in 2012. It should be noted that Tseung Kwan O is currently the landing site for a number of submarine cables. From Tseung Kwan O, the cable will extend eastward approaching the Tathong Channel. Near to Cape Collinson, the cable is approximately parallel to the Tathong Channel until north of Waglan Island where the cable travels eastward to the boundary of HKSAR waters where it enters the South China Sea. The total length of cable in Hong Kong SAR waters is approximately 33.5 km. A map of the proposed cable route is presented in *Figure 1.1*.

A Project Profile (PP-452/2011) which includes an assessment of the potential environmental impacts associated with the installation of the submarine telecommunications cable system was prepared and submitted to the Environmental Protection Department (EPD) under section 5.(1)(b) and 5.(11) of the *Environmental Impact Assessment Ordinance (EIAO)* for the application for Permission to apply directly for Environmental Permit (EP). The Environmental Protection Department, subsequently issued an Environmental Permit (EP- 433/2011).

Pursuant to *Condition 2.4* of the EP, an environmental monitoring and audit (EM&A) programme as set out in the *Environmental Monitoring and Audit Manual (M&A Manual)* is required to be implemented. In accordance with the *EM&A Manual*, baseline monitoring of marine water quality should be undertaken for the Project. This *Water Quality Baseline Monitoring Report* ("the Report") is prepared by ERM-Hong Kong, Limited (ERM) on behalf of NTT Com Asia (NTTCA) to present the methodology and findings of the baseline marine water quality monitoring for the Project.

Given that the water sampling stations in Zone B are situated quite far away from those in Zones A and C, and the commencement dates of construction in each zone are also different, it is recommended to present the baseline data in separate reports (i.e. Part A for Zone A, Part B for Zone B and Part C for Zone C) and the corresponding Action and Limit Levels will be derived from the baseline data for each zone.




Figure 1.1 Proposed ASE Submarine Cable System (Layout Plan)

File: 0171870_Landing_Overview_20110815.mxd
Date: 17/09/2012

Key

- Work Limit Control Point (WLCP)
- ASE Submarine Cable System
- - - District Boundary

Environmental Resources Management



1.2 **PURPOSE OF THIS REPORT**

The purpose of this *Baseline Water Quality Monitoring Report (Part B)* is to determine the baseline marine water quality at the designated monitoring locations around the Project works area in Zone B prior to the commencement of the cable laying works of the Project. Such baseline conditions will be used as the basis for assessing water quality impacts, if any, and for compliance monitoring during the construction of the Project.

Under the requirement of *Condition 2.4* of the *EP*, the baseline monitoring report on water quality shall be prepared and submitted to the DEP no later than two weeks before the commencement of construction works of the Project.

1.3 **STRUCTURE OF THE REPORT**

The remainder of the report is structured as follows:

Section 1: Introduction

Provide details of the background, purpose and structure of the report.

Section 2: Water Quality Monitoring

Summarize the water quality monitoring locations and frequency, monitoring methodology and baseline monitoring results, and establishes the Action and Limit Levels in accordance with the *EM&A Manual*.

Section 3: Conclusion

Conclude the representativeness of the baseline monitoring results and observations for the Project.

2.1 MONITORING LOCATION

Baseline water quality monitoring in Zone B was conducted prior to the commencement of cable laying works at the monitoring stations listed in *Table 2.1* and shown in *Figure 2.1*.

- B1 is an Impact Station to monitor the impacts of cable installation works on the Big Wave Bay Beach;
- B2 is an Impact Station to monitor the impacts of cable installation works on the Rocky Bay Beach;
- B3 is an Impact Station to monitor the impacts of cable installation works on the Shek O Beach;
- E1 is an Impact Station to monitor impacts of cable installation works on Cape d'Aguilar Marine Reserve;
- E2 is an Impact Station to monitor the impacts of cable installation works on the coral communities at Tung Lung Chau;
- E6 is an Impact Station to monitor the impacts of cable installation works on the coral communities at Tai Long Pai (the Gradient Station is not set due to the short distance of this Impact Station to nearby proposed cable works which may affect the cable laying works);
- E9 is an Impact Station to monitor the impacts of cable installation works on the coral communities at Cape Collison (the Gradient Station is not set due to the short distance of this Impact Station to nearby proposed cable works which may affect the cable laying works);
- F1 is an Impact Station to monitor the impacts of cable installation works on the Tung Lung Chau Fish Culture Zone;
- G3 is a Gradient Station between F1 and the cable alignment;
- G4 is a Gradient Station between E2 and the cable alignment;
- G7 is a Gradient Station between E1 and the cable alignment; and
- C2 is a Control Station (approximately 3.4 km from the proposed cable alignment) for Zone B. It is not supposed to be influenced by the cable laying works due to its remoteness to the construction works.




Figure 2.1

Water Quality Monitoring Station (Zone B)

File: 0171870_Proposed_WQMS_ZoneB.mxd
Date: 20/09/2012

**Environmental
Resources
Management**



Table 2.1 *Water Quality Monitoring Stations*

| Monitoring Station | Nature | Easting | Northing |
|---------------------------|------------------------------------|----------------|-----------------|
| B1 | Impact Station (Beach) | 843557 | 811853 |
| B2 | Impact Station (Beach) | 844062 | 810369 |
| B3 | Impact Station (Beach) | 843988 | 809902 |
| E1 | Impact Station (Marine Reserve) | 845474 | 810605 |
| E2 | Impact Station (Coral Communities) | 845203 | 815205 |
| E6 | Impact Station (Coral Communities) | 845321 | 816718 |
| E9 | Impact Station (Coral Communities) | 843557 | 811853 |
| F1 | Impact Station (Fish Culture Zone) | 847196 | 811056 |
| G3 | Gradient Station | 846099 | 812826 |
| G4 | Gradient Station | 846583 | 810809 |
| G7 | Gradient Station | 845946 | 808583 |
| C2 | Control Station | 849603 | 811528 |

2.2 *SAMPLING AND TESTING METHODOLOGY*

2.2.1 *Monitoring Parameters*

The parameters measured *in situ* were:

- Dissolved Oxygen (DO) (% saturation and mg L⁻¹)
- Salinity (ppt)
- Temperature (°C)
- Turbidity (NTU)

The only parameter to be measured in the laboratory was:

- Suspended solids (SS) (mg L⁻¹)

In addition to the water quality parameters, other relevant data were also measured and recorded in field logs, including the location of the sampling stations, water depth, time, weather conditions, sea conditions, tidal state, current direction and speed, special phenomena and work activities undertaken around the monitoring and works area that may influence the monitoring results.

2.2.2 *Monitoring Equipment*

Table 2.2 summaries the equipment used for the baseline water quality monitoring.

Table 2.2 *Equipment used during the Baseline Water Quality Monitoring Programme*

| Equipment | Model |
|---|-------------------------------|
| Global Positioning Device | Garmin etrex 10 |
| Water Depth Gauge | Speedtech Instrument SM-5A |
| Water Sampling Equipment | 1510 Kemmerer Water Sampler |
| Salinity, DO, Temperature Measuring Meter | YSI Pro 2030 |
| Current Velocity and Direction | Flow Probe FP11 |
| Turbidity Meter | HACH Model 2100Q Turbid Meter |

2.2.3 *Monitoring Frequency and Timing*

The water monitoring was carried out on three occasions (days) and the intervals between two sets of monitoring were not less than 36 hours. The water quality sampling was undertaken within a 4 hour window of 2 hour before and 2 hour after mid flood and mid-ebb tides. The tidal range selected for the baseline monitoring was at least 0.5 m for both flood and ebb tides as far as practicable.

Reference were made to the predicted tides at Tai Miu Wan, which is the tidal station nearest to the Project Site, published on the website of the Hong Kong Observatory ⁽¹⁾. Based on the predicted tidal levels at Tai Miu Wan, the baseline water quality monitoring was conducted between 17 September 2012 and 21 September 2012, following the schedule presented in *Annex A*. Schedule for baseline monitoring has been submitted to the Contractor, Independent Environmental Checker (IEC), Engineer Representative (ER) and Environmental Protection Department (EPD) one week prior to the commencement of the monitoring works.

2.2.4 *Sampling/ Testing Protocol*

All *in situ* monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use (see calibration reports in *Annex B*), and subsequently re-calibrated at-monthly intervals throughout all stages of the water quality monitoring. Responses of sensors and electrodes were checked with certified standard solutions before each use.

For the on-site calibration of field equipment, the *BS 1427: 1993, Guide to Field and On-Site Test Methods for the Analysis of Waters* was observed. Sufficient stocks of spare parts were maintained for replacements when necessary. Backup monitoring equipment was made available.

Water samples for SS measurements were collected in high density polythene bottles, packed in ice (cooled to 4° C without being frozen), and delivered to a HOKLAS laboratory as soon as possible after collection.

Two replicate samples were collected from each of the monitoring events for *in situ* measurement and lab analysis.

⁽¹⁾ Hong Kong Observatory (2012) <http://www.hko.gov.hk/tide/eQUBtide.htm> [Accessed in March 2012]

2.2.5 *Laboratory Analysis*

All laboratory work was carried out in a HOKLAS accredited laboratory. Water samples of about 1,000 mL were collected at the monitoring and control stations for carrying out the laboratory determinations. The determination work started within the next working day after collection of the water samples. The SS laboratory measurements were provided within 2 days of the sampling event (48 hours). The analyses followed the standard methods as described in APHA Standard Methods for the *Examination of Water and Wastewater*, 19th Edition, unless otherwise specified (APHA 2540D for SS).

The QA/QC details were in accordance with requirements of HOKLAS or another internationally accredited scheme (*Annex C*)

2.2.6 *Sampling Depths & Replication*

Each station was sampled and measurements/ water samples were taken at three depths, namely, 1 m below water surface, mid-depth and 1 m above sea bed, except where the water depth less than 6 m, the mid-depth station may be omitted. For stations that are less than 3 m in depth, only the mid-depth sample was taken.

For *in situ* measurements, duplicate readings were made at each water depth at each station. Duplicate water samples were collected at each water depth at each station.

2.3 *BASELINE MONITORING RESULTS*

The monitoring data and graphical presentations for baseline water quality monitoring are provided in *Annex D*. No marine construction activities were observed in the vicinity of the monitoring stations during the baseline monitoring. No other major activities influencing water quality were identified during the monitoring period, and weather conditions were generally calm during the baseline monitoring period.

The observations from the monitoring results are as following:

- For all monitoring stations, water quality was variable throughout the baseline monitoring period and this represented natural fluctuation in water quality ;
- Fluctuation of Dissolved Oxygen (DO) was observed during mid-flood, whilst DO levels fluctuated within a limited range. Hence, it is considered that DO levels between Sensitive Receivers and Control Stations are similar in average although fluctuation exists;
- DO levels at all depths were generally high for all samples, DO levels <4 mg L⁻¹ were not recorded;
- Relatively higher levels of turbidity were recorded at Sensitive Receiver Station E9 during mid-ebb and mid-flood tidal condition;

- Higher levels of suspended solids (SS) were recorded at Sensitive Receiver Station E9 during both mid-ebb and mid-flood; and
- The above sporadic patterns of relatively high levels of turbidity and SS at the water monitoring stations are considered to be a characteristic of water quality in this area of Hong Kong.

2.4

ACTION AND LIMIT LEVELS

The Action and Limit Levels were set in the *EM&A Manual* and the proposed Action and Limit Levels were determined as shown in *Table 2.3*.

Table 2.3 *Determination of Action and Limit Levels for Water Quality*

| Parameter | Action Level | Limit Level ^(d) |
|---|---|---|
| SS in mgL ⁻¹ (Depth-averaged) ^{(a) (c)} | 95%-ile of baseline data or 20% exceedance of value at any impact station compared with corresponding data from control station | 99%-ile of baseline data, and 30% exceedance of value at any impact station compared with corresponding data from control station |
| DO in mgL ⁻¹ ^(b) | <u>Surface and Middle</u> 5%-ile of baseline data for surface and middle layer <u>Bottom</u> 5%-ile of baseline data for bottom layers | <u>Surface and Middle</u> 5mg/L or 1%-ile of baseline for surface and middle layer <u>Bottom</u> 2mg/L or 1%-ile of baseline data for bottom layer |
| Turbidity in NTU (Depth-averaged) ^{(a) (c)} | 95%-ile of baseline data, or 20% exceedance of value at any impact station compared with corresponding data from control station | 99%-ile of baseline data, and 30% exceedance of value at any impact station compared with corresponding data from control station |
| Notes: | | |
| a. "Depth-averaged" is calculated by taking the arithmetic means of reading of all sampled depths. | | |
| b. For DO, non-compliance of the water quality limits occurs when the monitoring result is lower than the limits. | | |
| c. For SS and turbidity, non-compliance of the water quality limits occurs when monitoring result is higher than the limits. | | |
| d. Limit level for DO was derived from the Water Quality Objectives (WQO) for Junk Bay, Eastern Buffer, and Mirs Bay Water Control Zones under the Water Pollution Control Ordinance (WPCO) Chapters 358L, 358Y, and 358I respectively. | | |

The Action and Limit Levels have been determined based on baseline water quality monitoring data for all monitoring stations in Zone B. The results are presented in *Table 2.4*. Please note that the results are used to determine the Action and Limit Levels for the cable laying works to be undertaken in Zone B.

Table 2.4 Action and Limit Levels for Water Quality

| Parameter | Action Level | Limit Level |
|--|---|---|
| SS in mgL ⁻¹ (Depth-averaged) ^{(a) (c)} | 95%-ile of baseline data (4.09 mg L ⁻¹), or | 99%-ile of baseline data (4.60 mg L ⁻¹), and |
| | 20% exceedance of value at any impact station compared with corresponding data from control station | 30% exceedance of value at any impact station compared with corresponding data from control station |
| DO in mgL ⁻¹ ^(b) | <u>Surface and Middle</u> ^(d) | <u>Surface and Middle</u> ^(d) |
| | 5%-ile of baseline data for surface and middle layer (4.72 mg L ⁻¹) | 5mg/L or 1%-ile of baseline data for surface and middle layer (4.57 mg L ⁻¹) |
| | <u>Bottom</u> | <u>Bottom</u> |
| | 5%-ile of baseline data for bottom layers (4.52 mg L ⁻¹) | 2mg/L or 1%-ile of baseline data for bottom layer (4.44 mg L ⁻¹) |
| Turbidity in NTU (Depth-averaged) ^{(a) (c)} | 95%-ile of baseline data (3.01 NTU), or | 99%-ile of baseline data (3.13 NTU), and |
| | 20% exceedance of value at any impact station compared with corresponding data from control station | 30% exceedance of value at any impact station compared with corresponding data from control station |

Notes:

- a. "Depth-averaged" is calculated by taking the arithmetic means of reading of all sampled depths.
- b. For DO, non-compliance of the water quality limits occurs when the monitoring result is lower than the limits.
- c. For SS and turbidity, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.
- d. The Action and Limit Level for DO for surface and middle layer were calculated from the combined pool of baseline surface layer data and baseline middle layer data.

CONCLUSION

Baseline water quality monitoring in Zone B has been conducted between 17 September 2012 and 21 September 2012 at 12 designated monitoring stations (including 8 Sensitive Receiver Stations, 3 Gradient Stations and 1 Control Station). The monitoring was conducted in 3 days, at mid-flood and mid-ebb tides, at three depths (surface, middle and bottom). The intervals between two sets of monitoring were not less than 36 hours. During the monitoring period, no major activities influencing water quality were observed in the vicinity of the Project's marine works area. Water quality monitoring results are, therefore, considered to be representative of the baseline conditions of the areas where marine works will be undertaken for the Project.

The baseline monitoring results were used to determine the Action and Limit Levels for the DO, SS and turbidity for impact monitoring to be conducted at Zone B throughout the construction phase of the Project.

Annex A

Baseline Water Quality Monitoring Schedule for Zone B

ASE Submarine Cable System - Tseung Kwan O
Tentative Water Quality Baseline Monitoring Schedule - September 2012

Reference Tidal Station: Tai Miu Wan (source: HK Observatory Department)

as of 13 September 2012

| Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
|---------------|---|---------|---|----------|--|---------------|
| | | | | | | 01-Sep |
| 02-Sep | 03-Sep | 04-Sep | 05-Sep | 06-Sep | 07-Sep | 08-Sep |
| | | | | | | |
| 09-Sep | 10-Sep | 11-Sep | 12-Sep | 13-Sep | 14-Sep | 15-Sep |
| | | | | | | |
| 16-Sep | 17-Sep | 18-Sep | 19-Sep | 20-Sep | 21-Sep | 22-Sep |
| | Mid-Flood: 10:00-14:00 Mid-Ebb: 16:00-20:00 (Zone B, 12 stations) <i>Baseline Monitoring</i> | | Mid-Flood: 08:00 - 12:00 Mid-Ebb: 13:30 - 17:30 (Zone B, 12 stations) <i>Baseline Monitoring</i> | | Mid-Flood: 08:30- 12:30 Mid-Ebb: 14:00-18:00 (Zone B, 12 stations) <i>Baseline Monitoring</i> | |
| 23-Sep | 24-Sep | 25-Sep | 26-Sep | 27-Sep | 28-Sep | |
| | | | | | | |

The schedule is subject to agreement from the EPD and AFCD on the monitoring times. The schedule will be revised after reviewing the progress of the construction works or due

Annex B

Calibration Reports of Multi-parameter Sensor



Internal Calibration Report of Dissolved Oxygen Meter

| | |
|---|--|
| Equipment Ref. No. : <u>ET/EW/008/005</u> | Manufacturer : <u>YSI</u> |
| Model No. : <u>Pro 2030</u> | Serial No. : <u>12A 100353</u> |
| Date of Calibration : <u>25/08/2012</u> | Calibration Due Date : <u>24/11/2012</u> |

Temperature Verification

Ref. No. of Reference Thermometer : ET/0521/001
 Ref. No. of Water Bath : ---

| | | Temperature (°C) | | |
|-------------------------------|----------|------------------|------------|------|
| Reference Thermometer reading | Measured | 20.2 | Corrected | 19.8 |
| DO Meter reading | Measured | 19.7 | Difference | 0.1 |

Standardization of sodium thiosulphate (Na₂S₂O₃) solution

| | | | |
|---|-------------------|---|--------------------|
| Reagent No. of Na ₂ S ₂ O ₃ titrant | CPE/012/4.5/001/5 | Reagent No. of 0.025N K ₂ Cr ₂ O ₇ | CPE/012/4.4/001/12 |
| | | Trial 1 | Trial 2 |
| Initial Vol. of Na ₂ S ₂ O ₃ (ml) | | 0.00 | 0.00 |
| Final Vol. of Na ₂ S ₂ O ₃ (ml) | | 40.10 | 40.05 |
| Vol. of Na ₂ S ₂ O ₃ used (ml) | | 40.10 | 40.05 |
| Normality of Na ₂ S ₂ O ₃ solution (N) | | 0.02494 | 0.02497 |
| Average Normality (N) of Na ₂ S ₂ O ₃ solution (N) | | 0.02496 | |
| Acceptance criteria, Deviation | | Less than ± 0.001N | |

Calculation: Normality of Na₂S₂O₃, N = 1 / ml Na₂S₂O₃ used

Linearity Checking

Determination of dissolved oxygen content by Winkler Titration *

| Purging Time (min) | 2 | | 5 | | 10 | |
|---|---------------------|-------|---------------------|------|---------------------|-------|
| | 1 | 2 | 1 | 2 | 1 | 2 |
| Initial Vol. of Na ₂ S ₂ O ₃ (ml) | 0.00 | 11.20 | 22.20 | 0.00 | 7.60 | 12.30 |
| Final Vol. of Na ₂ S ₂ O ₃ (ml) | 11.20 | 22.20 | 29.90 | 7.60 | 12.30 | 17.20 |
| Vol. (V) of Na ₂ S ₂ O ₃ used (ml) | 11.20 | 11.00 | 7.70 | 7.60 | 4.70 | 4.90 |
| Dissolved Oxygen (DO), mg/L | 7.50 | 7.37 | 5.16 | 5.09 | 3.15 | 3.28 |
| Acceptance criteria, Deviation | Less than + 0.3mg/L | | Less than + 0.3mg/L | | Less than + 0.3mg/L | |

Calculation: DO (mg/L) = V x N x 8000/298

| Purging time, min | DO meter reading, mg/L | | | Winkler Titration result *, mg/L | | | Difference (%) of DO Content |
|-------------------------------|------------------------|------|---------|----------------------------------|------|---------|------------------------------|
| | 1 | 2 | Average | 1 | 2 | Average | |
| 2 | 7.51 | 7.60 | 7.56 | 7.50 | 7.37 | 7.44 | 1.60 |
| 5 | 5.21 | 5.20 | 5.21 | 5.16 | 5.09 | 5.13 | 1.55 |
| 10 | 3.19 | 3.25 | 3.22 | 3.15 | 3.28 | 3.22 | 0.00 |
| Linear regression coefficient | | | | 0.99990 | | | |



Internal Calibration Report of Dissolved Oxygen Meter

Zero Point Checking

| | |
|------------------------|------|
| DO meter reading, mg/L | 0.00 |
|------------------------|------|

Salinity Checking

| | | | |
|-----------------------------|--------------------|-----------------------------|--------------------|
| Reagent No. of NaCl (10ppt) | CPE/012/4.7/001/28 | Reagent No. of NaCl (30ppt) | CPE/012/4.8/001/28 |
|-----------------------------|--------------------|-----------------------------|--------------------|

*Determination of dissolved oxygen content by Winkler Titration ***

| Salinity (ppt) | 10 | | 30 | |
|---|---------------------|-------|---------------------|-------|
| | 1 | 2 | 1 | 2 |
| Initial Vol. of Na ₂ S ₂ O ₃ (ml) | 0.00 | 11.50 | 23.20 | 33.90 |
| Final Vol. of Na ₂ S ₂ O ₃ (ml) | 11.50 | 23.20 | 33.90 | 44.40 |
| Vol. (V) of Na ₂ S ₂ O ₃ used (ml) | 11.50 | 11.70 | 10.70 | 10.50 |
| Dissolved Oxygen (DO), mg/L | 7.71 | 7.84 | 7.17 | 7.04 |
| Acceptance criteria, Deviation | Less than + 0.3mg/L | | Less than + 0.3mg/L | |

Calculation: $DO (mg/L) = V \times N \times 8000/298$

| Salinity (ppt) | DO meter reading, mg/L | | | Winkler Titration result**, mg/L | | | Difference (%) of DO Content |
|----------------|------------------------|------|---------|----------------------------------|------|---------|------------------------------|
| | 1 | 2 | Average | 1 | 2 | Average | |
| 10 | 7.7 | 7.65 | 7.68 | 7.71 | 7.84 | 7.78 | 1.29 |
| 30 | 7.13 | 7.05 | 7.09 | 7.17 | 7.04 | 7.11 | 0.28 |

Acceptance Criteria

- (1) Difference between temperature readings from temperature sensor of DO probe and reference thermometer : < 0.5 °C
- (2) Linear regression coefficient : >0.99
- (3) Zero checking: 0.0mg/L
- (4) Difference (%) of DO content from the meter reading and by winkler titration : within ± 5%

The equipment complies # / does not comply # with the specified requirements and is deemed acceptable # / unacceptable # for use.

Delete as appropriate

Calibrated by

:

Approved by :



Performance Check of Salinity Meter

Equipment Ref. No. : ET/EW/008/005 Manufacturer : YSI
Model No. : Pro 2030 Serial No. : 12A 100353
Date of Calibration : 25/08/2012 Due Date : 24/11/2012

Ref. No. of Salinity Standard used (30ppt)


S/001/3


| Salinity Standard (ppt) | Measured Salinity (ppt) | Difference % |
|-------------------------|-------------------------|--------------|
| 30.0 | 30.2 | 0.66 |

Acceptance Criteria

Difference : <10 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : 

Approved by : 



Performance Check of Turbidimeter



Equipment Ref. No. : ET/0505/008 Manufacturer : HACH
Model No. : 2100Q Serial No. : 10030 C 001191
Date of Calibration : 02/08/2012 Due Date : 01/11/2012

| Gelex Vial Std | Theoretical Value (NTU) | Measured Value (NTU) | Difference % |
|----------------|-------------------------|----------------------|--------------|
| 0-10 NTU | 5.70 | 5.62 | 1.41 |
| 10-100 NTU | 52.1 | 52.7 | 1.15 |
| 100-1000 NTU | 547 | 539 | 1.47 |

Acceptance Criteria

Difference : <5 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by :  Approved by : 

Annex C

QA/QC Results for Suspended Solids Testing

QA/QC Results of Laboratory Analysis of Total Suspended Solids

| Sampling Date | QC Sample | Sample Duplicate | | Sample Spike | |
|---------------|--------------|------------------|-----------|--------------|--------------|
| | % Recovery * | Sample ID | % Error # | Sample ID | % Recovery @ |
| 9/17/2012 | 93.9 | FE1S-1 | 10.53** | FB2S-2 | 94.1 |
| | 102.3 | FB2M-1 | 7.41 | FG4M-2 | 100.0 |
| | 106.4 | FG4B-1 | 0.00 | FG3B-2 | 103.9 |
| | 102 | FC2S-1 | 0.00 | FE9B-2 | 102.1 |
| | 103.5 | EE1S-1 | 9.52 | EB2S-2 | 100 |
| | 98.3 | EB2M-1 | 4.88 | EG4M-2 | 98.1 |
| | 94.3 | EG4B-1 | 0.00 | EG3B-2 | 105.8 |
| | 102.6 | EC2S-1 | 0.00 | EE9B-2 | 105.9 |

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between 0% to 10%.
 (@) % Recovery of Sample Spike should be between 80% to 120%.
 (**) % Error of Sample Duplicate >10% but invalid due to sample results less than MDL.

| Sampling Date | QC Sample | Sample Duplicate | | Sample Spike | |
|---------------|--------------|------------------|-----------|--------------|--------------|
| | % Recovery * | Sample ID | % Error # | Sample ID | % Recovery @ |
| 9/19/2012 | 104.6 | FE1S-1 | 0.00 | FB2S-2 | 104.2 |
| | 98.8 | FB2M-1 | 5.41 | FG4M-2 | 103.8 |
| | 101.8 | FG4B-1 | 5.41 | FG3B-2 | 108.2 |
| | 108.1 | FC2S-1 | 0.00 | FE9B-2 | 104.2 |
| | 94.8 | EE1S-1 | 8.70 | EB2S-2 | 102.0 |
| | 106.4 | EB2M-1 | 0.00 | EG4M-2 | 105.7 |
| | 104.3 | EG4B-1 | 5.41 | EG3B-2 | 103.8 |
| | 99.0 | EC2S-1 | 6.90 | EE9B-2 | 101.9 |

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between 0% to 10%.
 (@) % Recovery of Sample Spike should be between 80% to 120%.
 (**) % Error of Sample Duplicate >10% but invalid due to sample results less than MDL.

| Sampling Date | QC Sample | Sample Duplicate | | Sample Spike | |
|---------------|--------------|------------------|-----------|--------------|--------------|
| | % Recovery * | Sample ID | % Error # | Sample ID | % Recovery @ |
| 9/21/2012 | 102.2 | FE1S-1 | 0.00 | FB2S-2 | 100.0 |
| | 104.0 | FB2M-1 | 0.00 | FG4M-2 | 105.9 |
| | 102.0 | FG4B-1 | 6.45 | FG3B-2 | 101.9 |
| | 101.4 | FC2S-1 | 0.00 | FE9B-2 | 104.3 |
| | 105.9 | EE1S-1 | 0.00 | EB2S-2 | 95.9 |
| | 98.4 | EB2M-1 | 4.88 | EG4M-2 | 106.3 |
| | 102.9 | EG4B-1 | 5.13 | EG3B-2 | 98.9 |
| | 98.9 | EC2S-1 | 0.00 | EE9B-2 | 100.0 |

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between 0% to 10%.
 (@) % Recovery of Sample Spike should be between 80% to 120%.
 (**) % Error of Sample Duplicate >10% but invalid due to sample results less than MDL.

Annex D

Baseline Water Quality Monitoring Results for Zone B





Figure D1 Dissolved oxygen (mg/L) at surface of water column measured during the baseline monitoring period from 17 September to 21 September for Zone B







Figure D2 Dissolved oxygen (mg/L) at mid-depth of water column measured during the baseline monitoring period from 17 September to 21 September for Zone B







Figure D3 Dissolved oxygen (mg/L) at bottom of water column measured during the baseline monitoring period from 17 September to 21 September for Zone B







Figure D4 Depth-averaged turbidity (NTU) of water column measured during the baseline monitoring period from 17 September to 21 September for Zone B







Figure D5 Depth-averaged suspended solid (mg/L) of water column measured during the baseline monitoring period from 17 September to 21 September for Zone B



Annex D1 Baseline Water Quality Monitoring Results during Mid-Flood Tide for 17 September 2012

Date: 17-Sep-12
 Tide: Mid-Flood
 Weather: Fine
 Sea Conditions: Great Wave
 Zone: B

| Location | Sampling Time | Water Depth (m) | Current direction | Current speed (ms ⁻¹) | Monitoring Depth | Temperature (°C) | | | Salinity (ppt) | | | DO (mg/l) | | | DO Saturation (%) | | | | Turbidity (NTU) | | | | Suspended Solids (mg/l) | | | |
|----------|---------------|-----------------|-------------------|-----------------------------------|------------------|------------------|------|-------|----------------|------|-------|-----------|-----|-------|-------------------|------|-------|--------|-----------------|-----|-------|--------|-------------------------|-----|-------|--------|
| | | | | | | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** |
| E1 | 1600-1619 | 48.9 | W | 1.0 | Surface | 28.1 | 28.1 | 28.1 | 25.1 | 25.2 | 25.2 | 6.1 | 6.2 | 6.2 | 90.4 | 92.0 | 91.2 | 1.2 | 1.2 | 1.2 | | 1.8 | 2.0 | 1.9 | | |
| | | | | | Middle | 28.3 | 28.4 | 28.4 | 26.3 | 26.3 | 26.3 | 6.0 | 6.0 | 6.0 | 88.1 | 88.9 | 88.5 | 2.4 | 2.5 | 2.4 | 2.2 | 2.8 | 2.6 | 2.7 | 2.5 | |
| | | | | | Bottom | 28.5 | 28.4 | 28.5 | 26.7 | 26.4 | 26.6 | 5.9 | 5.9 | 5.9 | 86.7 | 87.3 | 87.0 | 2.7 | 2.9 | 2.8 | | 3.0 | 2.8 | 2.9 | | |
| G7 | 1623-1641 | 34.8 | W | 1.0 | Surface | 28.0 | 28.0 | 28.0 | 25.8 | 25.9 | 25.9 | 6.3 | 6.2 | 6.3 | 92.9 | 91.9 | 92.4 | 1.2 | 1.0 | 1.1 | | 2.2 | 1.8 | 2.0 | | |
| | | | | | Middle | 27.9 | 28.0 | 28.0 | 25.8 | 25.9 | 25.9 | 6.0 | 6.1 | 6.0 | 88.5 | 89.4 | 89.0 | 1.4 | 1.5 | 1.4 | 1.4 | 2.4 | 2.2 | 2.3 | 2.3 | |
| | | | | | Bottom | 28.3 | 28.2 | 28.3 | 26.1 | 26.0 | 26.1 | 5.7 | 5.6 | 5.6 | 83.8 | 82.2 | 83.0 | 1.8 | 1.6 | 1.7 | | 2.8 | 2.4 | 2.6 | | |
| B3 | 1646-1703 | 14.7 | W | 1.0 | Surface | 28.0 | 28.1 | 28.1 | 25.6 | 25.7 | 25.7 | 5.4 | 5.5 | 5.4 | 79.4 | 81.0 | 80.2 | 1.4 | 1.4 | 1.4 | | 1.8 | 2.0 | 1.9 | | |
| | | | | | Middle | 27.9 | 27.9 | 27.9 | 25.8 | 25.9 | 25.9 | 5.2 | 5.3 | 5.2 | 76.7 | 78.1 | 77.4 | 1.7 | 1.5 | 1.6 | 1.6 | 2.6 | 2.4 | 2.5 | 2.4 | |
| | | | | | Bottom | 28.2 | 28.1 | 28.2 | 26.1 | 26.0 | 26.1 | 4.9 | 4.7 | 4.8 | 71.7 | 69.9 | 70.8 | 1.8 | 1.8 | 1.8 | | 2.8 | 2.6 | 2.7 | | |
| B2 | 1708-1725 | 18.0 | W | 1.0 | Surface | 28.0 | 28.1 | 28.1 | 25.4 | 25.4 | 25.4 | 5.2 | 5.3 | 5.2 | 76.6 | 77.9 | 77.3 | 1.2 | 1.3 | 1.3 | | 2.2 | 2.4 | 2.3 | | |
| | | | | | Middle | 28.0 | 28.0 | 28.0 | 25.6 | 25.6 | 25.6 | 5.0 | 5.0 | 5.0 | 73.6 | 73.2 | 73.4 | 1.5 | 1.4 | 1.5 | 1.5 | 2.8 | 2.4 | 2.6 | 2.5 | |
| | | | | | Bottom | 27.9 | 27.8 | 27.9 | 25.6 | 25.6 | 25.6 | 4.7 | 4.9 | 4.8 | 69.2 | 71.9 | 70.6 | 1.7 | 1.6 | 1.6 | | 2.6 | 2.4 | 2.5 | | |
| E6 | 1731-1750 | 28.3 | W | 1.0 | Surface | 27.9 | 27.8 | 27.9 | 25.6 | 25.7 | 25.7 | 5.9 | 5.7 | 5.8 | 86.7 | 83.8 | 85.3 | 1.3 | 1.0 | 1.2 | | 2.2 | 1.8 | 2.0 | | |
| | | | | | Middle | 28.0 | 27.9 | 28.0 | 25.8 | 25.8 | 25.8 | 5.3 | 5.4 | 5.4 | 78.7 | 79.8 | 79.3 | 1.7 | 1.6 | 1.6 | 1.5 | 2.6 | 2.4 | 2.5 | 2.4 | |
| | | | | | Bottom | 27.7 | 27.8 | 27.8 | 25.9 | 25.9 | 25.9 | 5.2 | 5.1 | 5.2 | 76.7 | 75.4 | 76.1 | 1.7 | 1.7 | 1.7 | | 2.8 | 2.6 | 2.7 | | |
| B1 | 1758-1815 | 12.8 | W | 1.0 | Surface | 28.0 | 28.1 | 28.1 | 25.4 | 25.5 | 25.5 | 5.4 | 5.5 | 5.5 | 79.7 | 80.9 | 80.3 | 1.7 | 1.7 | 1.7 | | 2.4 | 2.8 | 2.6 | | |
| | | | | | Middle | 28.0 | 28.0 | 28.0 | 25.4 | 25.4 | 25.4 | 5.4 | 5.3 | 5.3 | 79.1 | 78.0 | 78.6 | 1.7 | 1.6 | 1.7 | 1.7 | 2.8 | 2.6 | 2.7 | 2.6 | |
| | | | | | Bottom | 27.8 | 27.9 | 27.9 | 25.6 | 25.5 | 25.6 | 5.1 | 5.0 | 5.1 | 75.2 | 74.0 | 74.6 | 1.9 | 1.7 | 1.8 | | 2.4 | 2.6 | 2.5 | | |
| G4 | 1821-1838 | 26.4 | W | 1.0 | Surface | 28.0 | 28.0 | 28.0 | 25.9 | 25.8 | 25.9 | 5.9 | 5.9 | 5.9 | 87.5 | 87.6 | 87.6 | 1.0 | 1.2 | 1.1 | | 2.1 | 2.4 | 2.3 | | |
| | | | | | Middle | 27.9 | 27.9 | 27.9 | 25.9 | 26.1 | 26.0 | 5.8 | 5.8 | 5.8 | 85.3 | 85.9 | 85.6 | 1.4 | 1.4 | 1.4 | 1.4 | 2.1 | 2.2 | 2.2 | 2.4 | |
| | | | | | Bottom | 27.7 | 27.8 | 27.8 | 26.3 | 26.2 | 26.3 | 5.4 | 5.5 | 5.5 | 81.0 | 80.8 | 80.9 | 1.6 | 1.7 | 1.6 | | 3.0 | 2.6 | 2.8 | | |
| E2 | 1843-1900 | 10.0 | W | 1.0 | Surface | 28.1 | 28.0 | 28.1 | 26.1 | 26.0 | 26.1 | 6.1 | 6.0 | 6.1 | 90.1 | 88.8 | 89.5 | 1.1 | 1.4 | 1.3 | | 1.9 | 2.0 | 2.0 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.2 | 26.2 | 26.2 | 5.9 | 5.7 | 5.8 | 86.9 | 83.7 | 85.3 | 1.5 | 1.3 | 1.4 | 1.5 | 2.3 | 2.4 | 2.4 | 2.3 | |
| | | | | | Bottom | 27.6 | 27.7 | 27.7 | 26.2 | 26.2 | 26.2 | 5.5 | 5.4 | 5.5 | 81.6 | 80.2 | 80.9 | 2.0 | 1.8 | 1.9 | | 2.4 | 2.5 | 2.5 | | |
| F1 | 1906-1923 | 8.4 | W | 1.0 | Surface | 28.0 | 28.0 | 28.0 | 25.9 | 25.8 | 25.9 | 5.4 | 5.4 | 5.4 | 79.4 | 79.9 | 79.7 | 1.3 | 1.2 | 1.3 | | 2.1 | 2.3 | 2.2 | | |
| | | | | | Middle | 27.9 | 27.9 | 27.9 | 25.9 | 25.9 | 25.9 | 5.2 | 5.2 | 5.2 | 76.7 | 76.8 | 76.8 | 1.5 | 1.5 | 1.5 | 1.4 | 2.4 | 2.5 | 2.5 | 2.3 | |
| | | | | | Bottom | 28.0 | 27.9 | 28.0 | 26.2 | 26.2 | 26.2 | 5.0 | 5.1 | 5.1 | 74.2 | 75.2 | 74.7 | 1.5 | 1.5 | 1.5 | | 2.1 | 2.4 | 2.3 | | |
| G3 | 1928-1945 | 14.3 | W | 1.0 | Surface | 28.0 | 27.9 | 28.0 | 25.7 | 25.7 | 25.7 | 5.6 | 5.7 | 5.7 | 83.1 | 84.0 | 83.6 | 1.4 | 1.2 | 1.3 | | 2.1 | 2.2 | 2.2 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 25.8 | 25.8 | 25.8 | 5.6 | 5.6 | 5.6 | 82.6 | 82.1 | 82.4 | 1.4 | 1.4 | 1.4 | 1.4 | 2.3 | 2.5 | 2.4 | 2.2 | |
| | | | | | Bottom | 27.6 | 27.7 | 27.7 | 25.9 | 25.9 | 25.9 | 5.5 | 5.5 | 5.5 | 80.7 | 80.4 | 80.6 | 1.7 | 1.6 | 1.6 | | 1.9 | 2.2 | 2.1 | | |
| C2 | 1955-2012 | 33.4 | W | 1.0 | Surface | 27.9 | 27.9 | 27.9 | 25.5 | 25.5 | 25.5 | 5.4 | 5.4 | 5.4 | 79.4 | 79.7 | 79.6 | 1.4 | 1.3 | 1.3 | | 2.4 | 2.2 | 2.3 | | |
| | | | | | Middle | 27.7 | 27.8 | 27.8 | 25.7 | 25.6 | 25.7 | 5.3 | 5.3 | 5.3 | 78.3 | 78.5 | 78.4 | 1.4 | 1.4 | 1.4 | 1.4 | 2.3 | 2.6 | 2.5 | 2.3 | |
| | | | | | Bottom | 27.8 | 27.7 | 27.8 | 25.7 | 25.7 | 25.7 | 5.0 | 5.1 | 5.1 | 74.1 | 75.3 | 74.7 | 1.5 | 1.6 | 1.6 | | 2.2 | 2.3 | 2.3 | | |
| E9 | 2017-2034 | 20.1 | W | 1.0 | Surface | 28.0 | 28.0 | 28.0 | 25.4 | 25.5 | 25.5 | 6.1 | 6.1 | 6.1 | 90.1 | 90.4 | 90.3 | 1.3 | 1.3 | 1.3 | | 2.1 | 2.2 | 2.2 | | |
| | | | | | Middle | 27.9 | 27.8 | 27.9 | 25.7 | 25.6 | 25.7 | 6.0 | 5.9 | 5.9 | 88.2 | 86.6 | 87.4 | 1.4 | 1.3 | 1.4 | 1.4 | 2.4 | 2.5 | 2.5 | 2.4 | |
| | | | | | Bottom | 27.6 | 27.7 | 27.7 | 25.8 | 25.8 | 25.8 | 5.7 | 5.7 | 5.7 | 84.4 | 84.5 | 84.5 | 1.5 | 1.4 | 1.5 | | 2.6 | 2.8 | 2.7 | | |

Remark or Observation:

Note: * Average ** Depth Average

Annex D2 Baseline Water Quality Monitoring Results during Mid-Ebb Tide for 17 September 2012

Date: 17-Sep-12
 Tide: Mid-Ebb
 Weather: Fine
 Sea Conditions: Small Wave
 Zone: B

| Location | Sampling Time | Water Depth (m) | Current direction | Current speed (ms ⁻¹) | Monitoring Depth | Temperature (°C) | | | Salinity (ppt) | | | DO (mg/l) | | | DO Saturation (%) | | | | Turbidity (NTU) | | | | Suspended Solids (mg/l) | | | |
|----------|---------------|-----------------|-------------------|-----------------------------------|------------------|------------------|------|-------|----------------|------|-------|-----------|-----|-------|-------------------|------|-------|--------|-----------------|-----|-------|--------|-------------------------|-----|-----|--|
| | | | | | | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** | | | | |
| E1 | 1000-1018 | 46.8 | E | 0.8 | Surface | 27.9 | 27.9 | 27.9 | 25.0 | 25.0 | 25.0 | 5.8 | 5.8 | 5.8 | 84.4 | 85.0 | 84.7 | 1.3 | 1.3 | 1.3 | | 2.0 | 2.3 | 2.2 | | |
| | | | | | Middle | 28.3 | 28.4 | 28.4 | 26.8 | 26.8 | 26.8 | 6.0 | 6.0 | 6.0 | 89.1 | 88.6 | 88.9 | 2.6 | 2.6 | 2.6 | 2.2 | 3.0 | 3.2 | 3.1 | 2.8 | |
| | | | | | Bottom | 28.3 | 28.3 | 28.3 | 26.8 | 26.8 | 26.8 | 5.9 | 5.9 | 5.9 | 88.7 | 88.2 | 88.5 | 2.8 | 2.8 | 2.8 | | 3.1 | 3.3 | 3.2 | | |
| G7 | 1023-1041 | 32.3 | E | 0.7 | Surface | 27.9 | 27.8 | 27.9 | 25.9 | 25.9 | 25.9 | 5.9 | 5.8 | 5.9 | 85.5 | 85.1 | 85.3 | 1.4 | 1.5 | 1.5 | | 2.3 | 2.2 | 2.3 | | |
| | | | | | Middle | 28.0 | 28.1 | 28.1 | 25.9 | 25.9 | 25.9 | 5.8 | 5.9 | 5.8 | 86.5 | 86.1 | 86.3 | 2.0 | 2.0 | 2.0 | 2.1 | 2.5 | 2.2 | 2.4 | 2.8 | |
| | | | | | Bottom | 28.1 | 28.1 | 28.1 | 26.0 | 26.0 | 26.0 | 5.8 | 5.7 | 5.8 | 85.5 | 85.1 | 85.3 | 2.9 | 3.0 | 3.0 | | 3.8 | 3.5 | 3.7 | | |
| B3 | 1048-1104 | 12.8 | E | 0.4 | Surface | 27.6 | 27.6 | 27.6 | 25.6 | 25.6 | 25.6 | 5.3 | 5.5 | 5.4 | 80.8 | 80.4 | 80.6 | 2.1 | 2.2 | 2.1 | | 3.1 | 3.0 | 3.1 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.1 | 26.1 | 26.1 | 5.0 | 5.0 | 5.0 | 73.6 | 73.2 | 73.4 | 2.8 | 2.7 | 2.7 | 2.6 | 3.6 | 3.7 | 3.7 | 3.5 | |
| | | | | | Bottom | 27.8 | 27.8 | 27.8 | 26.2 | 26.2 | 26.2 | 4.7 | 4.7 | 4.7 | 68.2 | 68.6 | 68.4 | 3.0 | 3.0 | 3.0 | | 3.8 | 4.0 | 3.9 | | |
| B2 | 1109-1125 | 15.5 | E | 0.3 | Surface | 27.5 | 27.5 | 27.5 | 25.4 | 25.4 | 25.4 | 5.2 | 5.3 | 5.3 | 75.2 | 75.8 | 75.5 | 2.3 | 2.4 | 2.4 | | 3.3 | 3.4 | 3.4 | | |
| | | | | | Middle | 27.5 | 27.5 | 27.5 | 25.4 | 25.4 | 25.4 | 5.3 | 5.2 | 5.2 | 77.4 | 77.0 | 77.2 | 2.9 | 3.0 | 2.9 | 2.8 | 4.0 | 3.8 | 3.9 | 3.8 | |
| | | | | | Bottom | 27.4 | 27.5 | 27.5 | 25.5 | 25.6 | 25.6 | 5.3 | 5.3 | 5.3 | 76.6 | 77.1 | 76.9 | 3.1 | 3.1 | 3.1 | | 3.8 | 4.2 | 4.0 | | |
| E6 | 1132-1150 | 26.6 | E | 0.7 | Surface | 27.7 | 27.7 | 27.7 | 25.7 | 25.7 | 25.7 | 5.6 | 5.6 | 5.6 | 82.3 | 81.9 | 82.1 | 2.0 | 1.9 | 1.9 | | 2.9 | 2.7 | 2.8 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.0 | 26.1 | 26.1 | 5.4 | 5.3 | 5.4 | 78.1 | 77.7 | 77.9 | 2.3 | 2.3 | 2.3 | 2.4 | 2.3 | 2.4 | 2.4 | 2.7 | |
| | | | | | Bottom | 27.9 | 27.9 | 27.9 | 26.3 | 26.3 | 26.3 | 5.4 | 5.4 | 5.4 | 80.3 | 80.8 | 80.6 | 2.9 | 2.9 | 2.9 | | 2.9 | 3.0 | 3.0 | | |
| B1 | 1158-1214 | 10.4 | E | 0.4 | Surface | 27.5 | 27.5 | 27.5 | 25.5 | 25.5 | 25.5 | 5.3 | 5.3 | 5.3 | 77.6 | 78.1 | 77.9 | 2.1 | 2.2 | 2.1 | | 3.0 | 3.3 | 3.2 | | |
| | | | | | Middle | 27.5 | 27.5 | 27.5 | 25.6 | 25.5 | 25.6 | 4.8 | 4.9 | 4.8 | 70.1 | 70.6 | 70.4 | 2.6 | 2.5 | 2.6 | 2.5 | 3.6 | 3.7 | 3.7 | 3.6 | |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 25.9 | 25.9 | 25.9 | 4.5 | 4.5 | 4.5 | 66.1 | 66.6 | 66.4 | 2.9 | 3.0 | 2.9 | | 3.9 | 4.0 | 4.0 | | |
| G4 | 1220-1238 | 24.8 | E | 0.8 | Surface | 27.8 | 27.9 | 27.9 | 26.4 | 26.4 | 26.4 | 5.9 | 5.8 | 5.8 | 86.1 | 85.6 | 85.9 | 1.8 | 1.9 | 1.8 | | 2.7 | 2.6 | 2.7 | | |
| | | | | | Middle | 28.0 | 28.0 | 28.0 | 26.8 | 26.8 | 26.8 | 5.8 | 5.8 | 5.8 | 84.2 | 84.6 | 84.4 | 2.4 | 2.4 | 2.4 | 2.4 | 3.6 | 3.6 | 3.6 | 3.3 | |
| | | | | | Bottom | 28.1 | 28.1 | 28.1 | 27.1 | 27.0 | 27.1 | 5.6 | 5.6 | 5.6 | 82.5 | 82.9 | 82.7 | 2.8 | 2.8 | 2.8 | | 3.6 | 3.5 | 3.6 | | |
| E2 | 1243-1258 | 8.0 | E | 0.5 | Surface | 27.6 | 27.6 | 27.6 | 26.0 | 26.1 | 26.1 | 5.2 | 5.3 | 5.2 | 76.6 | 77.0 | 76.8 | 2.0 | 2.1 | 2.0 | | 2.9 | 3.1 | 3.0 | | |
| | | | | | Middle | 27.6 | 27.5 | 27.6 | 26.1 | 26.1 | 26.1 | 5.2 | 5.3 | 5.3 | 76.9 | 77.4 | 77.2 | 3.0 | 3.1 | 3.1 | 2.7 | 3.8 | 4.0 | 3.9 | 3.6 | |
| | | | | | Bottom | 27.6 | 27.6 | 27.6 | 26.1 | 26.1 | 26.1 | 5.1 | 5.0 | 5.0 | 74.3 | 73.8 | 74.1 | 3.0 | 2.9 | 3.0 | | 3.9 | 3.8 | 3.9 | | |
| F1 | 1305-1320 | 7.6 | E | 0.4 | Surface | 27.9 | 27.9 | 27.9 | 25.6 | 25.6 | 25.6 | 5.6 | 5.6 | 5.6 | 82.6 | 82.0 | 82.3 | 2.4 | 2.4 | 2.4 | | 3.2 | 3.5 | 3.4 | | |
| | | | | | Middle | 27.6 | 27.6 | 27.6 | 25.6 | 25.5 | 25.6 | 4.5 | 4.6 | 4.6 | 65.6 | 66.2 | 65.9 | 3.0 | 2.9 | 2.9 | 2.8 | 3.7 | 3.9 | 3.8 | 3.7 | |
| | | | | | Bottom | 27.6 | 27.5 | 27.6 | 25.7 | 25.6 | 25.7 | 4.5 | 4.5 | 4.5 | 65.2 | 65.7 | 65.5 | 3.1 | 3.1 | 3.1 | | 3.9 | 4.2 | 4.1 | | |
| G3 | 1325-1341 | 12.8 | E | 0.5 | Surface | 27.7 | 27.7 | 27.7 | 25.7 | 25.6 | 25.7 | 5.2 | 5.3 | 5.2 | 76.6 | 77.0 | 76.8 | 2.6 | 2.6 | 2.6 | | 3.4 | 3.2 | 3.3 | | |
| | | | | | Middle | 27.7 | 27.7 | 27.7 | 25.7 | 25.7 | 25.7 | 5.3 | 5.3 | 5.3 | 77.3 | 77.7 | 77.5 | 3.0 | 3.1 | 3.0 | 3.0 | 3.9 | 4.2 | 4.1 | 3.8 | |
| | | | | | Bottom | 27.7 | 27.7 | 27.7 | 25.9 | 26.0 | 26.0 | 5.3 | 5.4 | 5.4 | 77.8 | 78.2 | 78.0 | 3.2 | 3.2 | 3.2 | | 4.2 | 4.0 | 4.1 | | |
| C2 | 1351-1409 | 30.8 | E | 0.4 | Surface | 28.2 | 28.2 | 28.2 | 26.0 | 26.0 | 26.0 | 6.3 | 6.3 | 6.3 | 93.0 | 93.4 | 93.2 | 2.0 | 2.1 | 2.0 | | 2.8 | 3.0 | 3.0 | | |
| | | | | | Middle | 28.5 | 28.5 | 28.5 | 26.5 | 26.4 | 26.5 | 6.1 | 6.2 | 6.2 | 91.6 | 92.1 | 91.9 | 2.2 | 2.2 | 2.2 | 2.2 | 3.2 | 3.4 | 3.3 | 3.3 | |
| | | | | | Bottom | 28.2 | 28.2 | 28.2 | 26.7 | 26.8 | 26.8 | 5.7 | 5.8 | 5.7 | 84.0 | 84.4 | 84.2 | 2.5 | 2.5 | 2.5 | | 3.6 | 3.5 | 3.6 | | |
| E9 | 1419-1430 | 18.8 | E | 0.3 | Surface | 27.5 | 27.5 | 27.5 | 25.8 | 25.7 | 25.8 | 4.6 | 4.6 | 4.6 | 66.8 | 67.4 | 67.1 | 2.7 | 2.8 | 2.8 | | 3.8 | 3.6 | 3.7 | | |
| | | | | | Middle | 27.5 | 27.5 | 27.5 | 25.7 | 25.7 | 25.7 | 4.7 | 4.7 | 4.7 | 67.8 | 68.3 | 68.1 | 3.2 | 3.1 | 3.1 | 3.1 | 4.1 | 3.8 | 4.0 | 4.0 | |
| | | | | | Bottom | 27.4 | 27.3 | 27.4 | 25.8 | 25.9 | 25.9 | 4.4 | 4.5 | 4.4 | 64.3 | 64.8 | 64.6 | 3.4 | 3.4 | 3.4 | | 4.5 | 4.4 | 4.5 | | |

Remark or Observation:

Note: * Average ** Depth Average

Annex D3 Baseline Water Quality Monitoring Results during Mid-Flood Tide for 19 September 2012

Date: 19-Sep-12
 Tide: Mid-Flood
 Weather: Cloudy
 Sea Conditions: Small Wave
 Zone: B

| Location | Sampling Time | Water Depth (m) | Current direction | Current speed (ms ⁻¹) | Monitoring Depth | Temperature (°C) | | | Salinity (ppt) | | | DO (mg/l) | | | DO Saturation (%) | | | Turbidity (NTU) | | | | Suspended Solids (mg/l) | | | |
|----------|---------------|-----------------|-------------------|-----------------------------------|------------------|------------------|------|-------|----------------|------|-------|-----------|-----|-------|-------------------|------|-------|-----------------|-----|-----|-------|-------------------------|-----|-----|-----|
| | | | | | | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** | | | |
| E1 | 0800-0815 | 48.2 | W | 1.1 | Surface | 27.6 | 27.6 | 27.6 | 25.7 | 25.7 | 25.7 | 6.1 | 6.1 | 6.1 | 89.8 | 89.1 | 89.5 | 1.3 | 1.3 | 1.3 | | 2.0 | 1.8 | 1.9 | |
| | | | | | Middle | 27.8 | 27.9 | 27.9 | 25.8 | 25.8 | 25.8 | 5.9 | 5.8 | 5.8 | 86.2 | 84.4 | 85.3 | 2.7 | 2.6 | 2.7 | 2.2 | 3.3 | 3.1 | 3.2 | 2.7 |
| | | | | | Bottom | 28.0 | 27.9 | 28.0 | 26.0 | 26.1 | 26.1 | 5.7 | 5.7 | 5.7 | 83.4 | 84.0 | 83.7 | 2.7 | 2.7 | 2.7 | | 3.1 | 3.0 | 3.1 | |
| G7 | 0818-0833 | 35.3 | W | 1.3 | Surface | 27.6 | 27.5 | 27.6 | 25.7 | 25.7 | 25.7 | 6.3 | 6.4 | 6.3 | 92.1 | 93.2 | 92.7 | 1.2 | 1.2 | 1.2 | | 1.6 | 1.8 | 1.7 | |
| | | | | | Middle | 27.9 | 27.9 | 27.9 | 25.8 | 25.8 | 25.8 | 5.9 | 5.9 | 5.9 | 86.6 | 85.9 | 86.3 | 2.6 | 2.3 | 2.4 | 2.1 | 3.1 | 3.0 | 3.1 | 2.6 |
| | | | | | Bottom | 28.1 | 28.1 | 28.1 | 25.9 | 26.0 | 26.0 | 5.8 | 5.7 | 5.7 | 84.6 | 84.3 | 84.5 | 2.7 | 2.8 | 2.7 | | 3.0 | 3.2 | 3.1 | |
| B3 | 0837-0852 | 13.3 | W | 1.3 | Surface | 27.6 | 27.6 | 27.6 | 25.6 | 25.6 | 25.6 | 6.0 | 6.0 | 6.0 | 87.4 | 88.4 | 87.9 | 2.1 | 2.3 | 2.2 | | 2.4 | 2.6 | 2.5 | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 25.6 | 25.6 | 25.6 | 5.1 | 5.1 | 5.1 | 75.4 | 74.2 | 74.8 | 2.6 | 2.7 | 2.7 | 2.6 | 3.4 | 3.6 | 3.5 | 3.3 |
| | | | | | Bottom | 27.8 | 27.8 | 27.8 | 25.7 | 25.7 | 25.7 | 4.9 | 4.8 | 4.9 | 71.7 | 70.7 | 71.2 | 3.0 | 3.1 | 3.0 | | 3.9 | 4.0 | 4.0 | |
| B2 | 0855-0913 | 17.6 | W | 1.0 | Surface | 27.5 | 27.5 | 27.5 | 25.7 | 25.7 | 25.7 | 5.4 | 5.4 | 5.4 | 78.6 | 79.3 | 79.0 | 2.1 | 2.1 | 2.1 | | 2.8 | 2.8 | 2.8 | |
| | | | | | Middle | 27.4 | 27.4 | 27.4 | 25.7 | 25.7 | 25.7 | 5.3 | 5.3 | 5.3 | 77.7 | 77.6 | 77.7 | 2.7 | 2.6 | 2.6 | 2.6 | 3.8 | 3.5 | 3.7 | 3.6 |
| | | | | | Bottom | 27.3 | 27.3 | 27.3 | 25.8 | 25.8 | 25.8 | 5.2 | 5.2 | 5.2 | 76.8 | 76.5 | 76.7 | 3.1 | 3.0 | 3.0 | | 4.2 | 4.2 | 4.2 | |
| B1 | 0918-0933 | 12.5 | W | 1.2 | Surface | 27.6 | 27.6 | 27.6 | 25.6 | 25.6 | 25.6 | 5.5 | 5.4 | 5.4 | 80.2 | 78.9 | 79.6 | 2.0 | 2.1 | 2.1 | | 3.0 | 3.2 | 3.1 | |
| | | | | | Middle | 27.5 | 27.5 | 27.5 | 25.6 | 25.7 | 25.7 | 5.2 | 5.2 | 5.2 | 76.4 | 75.9 | 76.2 | 2.5 | 2.4 | 2.4 | 2.3 | 3.5 | 3.3 | 3.4 | 3.3 |
| | | | | | Bottom | 27.4 | 27.4 | 27.4 | 25.8 | 25.8 | 25.8 | 4.9 | 4.7 | 4.8 | 71.4 | 69.2 | 70.3 | 2.4 | 2.5 | 2.5 | | 3.2 | 3.4 | 3.3 | |
| E6 | 0938-0955 | 28.4 | W | 1.2 | Surface | 27.6 | 27.5 | 27.6 | 25.7 | 25.7 | 25.7 | 5.4 | 5.4 | 5.4 | 79.6 | 78.6 | 79.1 | 2.0 | 1.8 | 1.9 | | 2.9 | 2.7 | 2.8 | |
| | | | | | Middle | 27.5 | 27.5 | 27.5 | 25.8 | 25.8 | 25.8 | 5.0 | 5.0 | 5.0 | 73.6 | 72.9 | 73.3 | 2.4 | 2.5 | 2.5 | 2.4 | 3.5 | 3.5 | 3.5 | 3.5 |
| | | | | | Bottom | 27.4 | 27.3 | 27.4 | 25.9 | 26.0 | 26.0 | 4.6 | 4.7 | 4.7 | 67.4 | 69.0 | 68.2 | 2.9 | 2.9 | 2.9 | | 4.2 | 4.3 | 4.3 | |
| G4 | 0958-1015 | 26.7 | W | 1.3 | Surface | 27.6 | 27.6 | 27.6 | 25.7 | 25.7 | 25.7 | 5.8 | 5.9 | 5.8 | 85.2 | 85.9 | 85.6 | 1.4 | 1.5 | 1.4 | | 2.0 | 2.1 | 2.1 | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 25.8 | 25.8 | 25.8 | 5.7 | 5.7 | 5.7 | 84.0 | 83.7 | 83.9 | 1.9 | 1.9 | 1.9 | 1.9 | 2.8 | 3.0 | 2.9 | 2.9 |
| | | | | | Bottom | 28.0 | 28.0 | 28.0 | 25.9 | 26.1 | 26.0 | 5.6 | 5.6 | 5.6 | 81.9 | 81.5 | 81.7 | 2.4 | 2.5 | 2.4 | | 3.6 | 3.6 | 3.6 | |
| E2 | 1017-1031 | 10.1 | W | 1.3 | Surface | 27.6 | 27.6 | 27.6 | 25.6 | 25.6 | 25.6 | 5.4 | 5.4 | 5.4 | 78.6 | 79.3 | 79.0 | 1.9 | 1.7 | 1.8 | | 2.9 | 2.8 | 2.9 | |
| | | | | | Middle | 27.6 | 27.6 | 27.6 | 25.7 | 25.7 | 25.7 | 5.2 | 5.2 | 5.2 | 76.1 | 76.2 | 76.2 | 1.9 | 2.0 | 2.0 | 2.0 | 3.1 | 3.0 | 3.1 | 3.0 |
| | | | | | Bottom | 27.6 | 27.6 | 27.6 | 25.7 | 25.8 | 25.8 | 5.0 | 5.0 | 5.0 | 73.7 | 72.6 | 73.2 | 2.1 | 2.3 | 2.2 | | 2.9 | 3.0 | 3.0 | |
| C2 | 1036-1051 | 32.3 | W | 1.2 | Surface | 27.7 | 27.7 | 27.7 | 25.7 | 25.7 | 25.7 | 6.4 | 6.3 | 6.3 | 93.7 | 92.2 | 93.0 | 1.3 | 1.4 | 1.4 | | 2.0 | 2.2 | 2.1 | |
| | | | | | Middle | 27.7 | 27.8 | 27.8 | 25.9 | 25.9 | 25.9 | 6.1 | 6.1 | 6.1 | 91.4 | 88.8 | 90.1 | 1.8 | 1.8 | 1.8 | 1.7 | 3.1 | 2.9 | 3.0 | 2.7 |
| | | | | | Bottom | 27.7 | 27.7 | 27.7 | 26.1 | 26.2 | 26.2 | 5.8 | 5.8 | 5.8 | 85.2 | 84.9 | 85.1 | 1.9 | 2.1 | 2.0 | | 2.7 | 3.0 | 2.9 | |
| F1 | 1056-1112 | 8.9 | W | 1.4 | Surface | 27.6 | 27.6 | 27.6 | 25.6 | 25.6 | 25.6 | 5.5 | 5.5 | 5.5 | 81.1 | 80.2 | 80.7 | 2.0 | 2.1 | 2.1 | | 3.2 | 3.3 | 3.3 | |
| | | | | | Middle | 27.7 | 27.7 | 27.7 | 25.7 | 25.7 | 25.7 | 5.0 | 5.0 | 5.0 | 73.7 | 72.6 | 73.2 | 2.9 | 2.8 | 2.9 | 2.6 | 4.5 | 4.3 | 4.4 | 4.0 |
| | | | | | Bottom | 27.7 | 27.7 | 27.7 | 25.8 | 25.8 | 25.8 | 4.6 | 4.6 | 4.6 | 67.7 | 66.9 | 67.3 | 3.0 | 3.0 | 3.0 | | 4.3 | 4.4 | 4.4 | |
| G3 | 1114-1129 | 14.7 | W | 1.2 | Surface | 27.6 | 27.7 | 27.7 | 25.7 | 25.6 | 25.7 | 5.5 | 5.5 | 5.5 | 80.0 | 80.8 | 80.4 | 2.1 | 2.1 | 2.1 | | 3.1 | 3.0 | 3.1 | |
| | | | | | Middle | 27.7 | 27.7 | 27.7 | 25.7 | 25.8 | 25.8 | 5.1 | 5.2 | 5.2 | 75.2 | 75.9 | 75.6 | 2.8 | 2.8 | 2.8 | 2.6 | 4.1 | 4.0 | 4.1 | 3.7 |
| | | | | | Bottom | 27.7 | 27.7 | 27.7 | 25.9 | 25.9 | 25.9 | 4.5 | 4.6 | 4.6 | 65.8 | 67.2 | 66.5 | 3.1 | 3.0 | 3.1 | | 4.1 | 4.0 | 4.1 | |
| E9 | 1133-1148 | 20.1 | W | 1.2 | Surface | 27.6 | 27.6 | 27.6 | 25.6 | 25.6 | 25.6 | 4.7 | 4.7 | 4.7 | 68.6 | 68.9 | 68.8 | 2.7 | 2.7 | 2.7 | | 4.3 | 4.4 | 4.4 | |
| | | | | | Middle | 27.5 | 27.5 | 27.5 | 25.8 | 25.7 | 25.8 | 4.6 | 4.6 | 4.6 | 67.7 | 66.1 | 66.9 | 3.0 | 3.0 | 3.0 | 3.0 | 4.8 | 4.5 | 4.7 | 4.7 |
| | | | | | Bottom | 27.4 | 27.4 | 27.4 | 25.7 | 25.8 | 25.8 | 4.4 | 4.5 | 4.5 | 64.7 | 66.8 | 65.8 | 3.4 | 3.4 | 3.4 | | 5.0 | 5.0 | 5.0 | |

Remark or Observation:

Note: * Average ** Depth Average

Annex D4 Baseline Water Quality Monitoring Results during Mid-Ebb Tide for 19 September 2012

Date: 19-Sep-12
 Tide: Mid-Ebb
 Weather: Cloudy
 Sea Conditions: Small Wave
 Zone: B

| Location | Sampling Time | Water Depth (m) | Current direction | Current speed (ms ⁻¹) | Monitoring Depth | Temperature (°C) | | | Salinity (ppt) | | | DO (mg/l) | | | DO Saturation (%) | | | | Turbidity (NTU) | | | | Suspended Solids (mg/l) | | | |
|----------|---------------|-----------------|-------------------|-----------------------------------|------------------|------------------|------|-------|----------------|------|-------|-----------|-----|-------|-------------------|------|-------|--------|-----------------|-----|-------|--------|-------------------------|-----|-------|--------|
| | | | | | | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** |
| E1 | 1330-1347 | 46.2 | E | 0.5 | Surface | 27.8 | 27.8 | 27.8 | 25.2 | 25.3 | 25.3 | 5.9 | 5.9 | 5.9 | 85.9 | 86.4 | 86.2 | 1.4 | 1.5 | 1.4 | | 2.2 | 2.3 | 2.3 | | |
| | | | | | Middle | 28.3 | 28.2 | 28.3 | 26.7 | 26.6 | 26.7 | 5.8 | 5.8 | 5.8 | 84.8 | 85.1 | 85.0 | 2.6 | 2.6 | 2.6 | 2.2 | 3.5 | 3.4 | 3.5 | 3.2 | |
| | | | | | Bottom | 28.2 | 28.1 | 28.2 | 26.9 | 27.0 | 27.0 | 5.7 | 5.8 | 5.8 | 84.1 | 84.7 | 84.4 | 2.7 | 2.6 | 2.7 | | 3.8 | 3.8 | 3.8 | | |
| G7 | 1350-1407 | 31.4 | E | 0.6 | Surface | 27.8 | 27.7 | 27.8 | 25.8 | 25.7 | 25.8 | 6.0 | 6.0 | 6.0 | 87.5 | 87.3 | 87.4 | 1.6 | 1.6 | 1.6 | | 2.4 | 2.3 | 2.4 | | |
| | | | | | Middle | 28.0 | 28.0 | 28.0 | 25.9 | 26.0 | 26.0 | 5.9 | 5.9 | 5.9 | 86.4 | 86.9 | 86.7 | 1.9 | 1.9 | 1.9 | 1.9 | 2.5 | 2.5 | 2.5 | 2.7 | |
| | | | | | Bottom | 28.0 | 28.1 | 28.1 | 26.2 | 26.2 | 26.2 | 5.8 | 5.8 | 5.8 | 84.9 | 85.6 | 85.3 | 2.3 | 2.4 | 2.4 | | 3.1 | 3.3 | 3.2 | | |
| B3 | 1411-1438 | 12.6 | E | 0.4 | Surface | 27.7 | 27.8 | 27.8 | 25.7 | 25.6 | 25.7 | 5.5 | 5.5 | 5.5 | 79.8 | 80.6 | 80.2 | 2.2 | 2.2 | 2.2 | | 3.1 | 3.0 | 3.1 | | |
| | | | | | Middle | 27.9 | 27.8 | 27.9 | 26.0 | 26.1 | 26.1 | 5.0 | 5.0 | 5.0 | 73.8 | 73.5 | 73.7 | 2.6 | 2.6 | 2.6 | 2.6 | 3.8 | 3.8 | 3.8 | 3.6 | |
| | | | | | Bottom | 27.8 | 27.7 | 27.8 | 26.3 | 26.4 | 26.4 | 4.8 | 4.9 | 4.8 | 70.5 | 71.2 | 70.9 | 2.9 | 3.0 | 3.0 | | 3.9 | 3.9 | 3.9 | | |
| B2 | 1441-1458 | 15.2 | E | 0.4 | Surface | 27.7 | 27.8 | 27.8 | 25.5 | 25.5 | 25.5 | 5.4 | 5.4 | 5.4 | 78.9 | 79.4 | 79.2 | 2.2 | 2.2 | 2.2 | | 3.0 | 2.8 | 2.9 | | |
| | | | | | Middle | 27.6 | 27.5 | 27.6 | 25.6 | 25.7 | 25.7 | 5.3 | 5.3 | 5.3 | 77.6 | 77.2 | 77.4 | 2.5 | 2.5 | 2.5 | 2.6 | 3.4 | 3.6 | 3.5 | 3.5 | |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 25.5 | 25.6 | 25.6 | 5.2 | 5.2 | 5.2 | 76.8 | 76.2 | 76.5 | 3.0 | 2.9 | 3.0 | | 3.9 | 4.0 | 4.0 | | |
| B1 | 1503-1520 | 10.6 | E | 0.5 | Surface | 27.6 | 27.7 | 27.7 | 25.6 | 25.5 | 25.6 | 5.2 | 5.2 | 5.2 | 76.8 | 76.2 | 76.5 | 2.0 | 2.1 | 2.1 | | 2.8 | 2.8 | 2.8 | | |
| | | | | | Middle | 27.5 | 27.6 | 27.6 | 26.0 | 26.1 | 26.1 | 5.0 | 5.0 | 5.0 | 73.8 | 73.4 | 73.6 | 2.4 | 2.5 | 2.5 | 2.5 | 3.4 | 3.5 | 3.5 | 3.4 | |
| | | | | | Bottom | 27.6 | 27.6 | 27.6 | 26.2 | 26.1 | 26.2 | 4.8 | 4.8 | 4.8 | 69.7 | 70.3 | 70.0 | 2.9 | 2.9 | 2.9 | | 4.0 | 4.1 | 4.1 | | |
| E6 | 1525-1542 | 26.4 | E | 0.8 | Surface | 27.7 | 27.8 | 27.8 | 25.7 | 25.8 | 25.8 | 5.7 | 5.8 | 5.7 | 83.5 | 84.4 | 84.0 | 2.2 | 2.2 | 2.2 | | 2.9 | 3.0 | 3.0 | | |
| | | | | | Middle | 27.6 | 27.7 | 27.7 | 25.8 | 25.9 | 25.9 | 5.4 | 5.4 | 5.4 | 79.3 | 78.9 | 79.1 | 2.4 | 2.5 | 2.4 | 2.5 | 3.5 | 3.5 | 3.5 | 3.3 | |
| | | | | | Bottom | 27.8 | 27.7 | 27.8 | 26.0 | 26.1 | 26.1 | 5.3 | 5.4 | 5.4 | 78.2 | 78.5 | 78.4 | 2.9 | 2.9 | 2.9 | | 3.4 | 3.4 | 3.4 | | |
| G4 | 1545-1602 | 24.6 | E | 0.7 | Surface | 27.7 | 27.8 | 27.8 | 26.3 | 26.4 | 26.4 | 5.9 | 5.9 | 5.9 | 87.0 | 86.9 | 87.0 | 1.9 | 2.0 | 2.0 | | 2.9 | 2.9 | 2.9 | | |
| | | | | | Middle | 27.9 | 27.8 | 27.9 | 26.7 | 26.8 | 26.8 | 5.8 | 5.9 | 5.8 | 84.9 | 85.7 | 85.3 | 2.4 | 2.4 | 2.4 | 2.4 | 3.5 | 3.8 | 3.7 | 3.5 | |
| | | | | | Bottom | 27.8 | 27.8 | 27.8 | 27.0 | 27.1 | 27.1 | 5.7 | 5.7 | 5.7 | 83.1 | 83.8 | 83.5 | 2.8 | 2.8 | 2.8 | | 3.6 | 4.0 | 3.8 | | |
| E2 | 1604-1621 | 8.4 | E | 0.5 | Surface | 27.7 | 27.8 | 27.8 | 26.1 | 26.0 | 26.1 | 5.2 | 5.2 | 5.2 | 76.0 | 76.5 | 76.3 | 2.1 | 2.2 | 2.2 | | 3.1 | 3.0 | 3.1 | | |
| | | | | | Middle | 27.5 | 27.6 | 27.6 | 26.2 | 26.2 | 26.2 | 5.1 | 5.2 | 5.2 | 75.3 | 75.6 | 75.5 | 2.9 | 3.0 | 2.9 | 2.7 | 3.9 | 4.1 | 4.0 | 3.6 | |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 26.3 | 26.4 | 26.4 | 5.0 | 5.1 | 5.1 | 73.8 | 74.1 | 74.0 | 3.1 | 3.1 | 3.1 | | 3.8 | 3.9 | 3.9 | | |
| C2 | 1626-1644 | 31.0 | E | 0.5 | Surface | 27.8 | 27.9 | 27.9 | 25.9 | 26.0 | 26.0 | 6.1 | 6.2 | 6.2 | 89.8 | 90.7 | 90.3 | 2.1 | 2.2 | 2.1 | | 3.0 | 3.0 | 3.0 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.4 | 26.3 | 26.4 | 6.0 | 6.1 | 6.1 | 88.3 | 89.2 | 88.8 | 2.3 | 2.3 | 2.3 | 2.4 | 3.3 | 3.3 | 3.3 | 3.5 | |
| | | | | | Bottom | 27.8 | 27.9 | 27.9 | 26.7 | 26.8 | 26.8 | 5.4 | 5.5 | 5.5 | 79.4 | 80.6 | 80.0 | 2.7 | 2.7 | 2.7 | | 4.0 | 4.2 | 4.1 | | |
| F1 | 1651-1708 | 7.8 | E | 0.3 | Surface | 27.8 | 27.7 | 27.8 | 25.7 | 25.6 | 25.7 | 5.6 | 5.6 | 5.6 | 81.5 | 81.9 | 81.7 | 2.3 | 2.2 | 2.3 | | 3.3 | 3.1 | 3.2 | | |
| | | | | | Middle | 27.5 | 27.4 | 27.5 | 25.6 | 25.7 | 25.7 | 5.0 | 5.0 | 5.0 | 72.8 | 72.9 | 72.9 | 3.0 | 2.9 | 2.9 | 2.8 | 4.0 | 3.9 | 4.0 | 3.8 | |
| | | | | | Bottom | 27.6 | 27.5 | 27.6 | 25.7 | 25.8 | 25.8 | 4.6 | 4.7 | 4.6 | 67.7 | 68.3 | 68.0 | 3.1 | 3.1 | 3.1 | | 4.0 | 4.3 | 4.2 | | |
| G3 | 1710-1727 | 13.2 | E | 0.5 | Surface | 27.6 | 27.7 | 27.7 | 25.6 | 25.5 | 25.6 | 5.4 | 5.4 | 5.4 | 79.3 | 78.5 | 78.9 | 2.5 | 2.6 | 2.6 | | 3.4 | 3.6 | 3.5 | | |
| | | | | | Middle | 27.7 | 27.6 | 27.7 | 25.8 | 25.9 | 25.9 | 5.4 | 5.4 | 5.4 | 79.0 | 78.7 | 78.9 | 2.9 | 2.9 | 2.9 | 2.9 | 4.0 | 4.1 | 4.1 | 4.0 | |
| | | | | | Bottom | 27.6 | 27.5 | 27.6 | 26.0 | 26.1 | 26.1 | 5.3 | 5.3 | 5.3 | 77.6 | 77.2 | 77.4 | 3.1 | 3.2 | 3.2 | | 4.4 | 4.6 | 4.5 | | |
| E9 | 1730-1746 | 19.0 | E | 0.4 | Surface | 27.6 | 27.7 | 27.7 | 25.7 | 25.6 | 25.7 | 4.7 | 4.7 | 4.7 | 68.9 | 69.4 | 69.2 | 2.8 | 2.9 | 2.9 | | 4.4 | 4.3 | 4.4 | | |
| | | | | | Middle | 27.5 | 27.4 | 27.5 | 25.8 | 25.7 | 25.8 | 4.9 | 4.9 | 4.9 | 71.3 | 71.8 | 71.6 | 3.3 | 3.2 | 3.3 | 3.2 | 4.5 | 4.7 | 4.6 | 4.6 | |
| | | | | | Bottom | 27.3 | 27.4 | 27.4 | 26.0 | 26.1 | 26.1 | 4.7 | 4.7 | 4.7 | 68.1 | 68.9 | 68.5 | 3.4 | 3.3 | 3.3 | | 4.8 | 4.6 | 4.7 | | |

Remark or Observation:

Note: * Average ** Depth Average

Annex D5 Baseline Water Quality Monitoring Results during Mid-Flood Tide for 21 September 2012

Date: 21-Sep-12
 Tide: Mid-Flood
 Weather: Fine
 Sea Conditions: Small Wave
 Zone: B

| Location | Sampling Time | Water Depth (m) | Current direction | Current speed (ms ⁻¹) | Monitoring Depth | Temperature (°C) | | | Salinity (ppt) | | | DO (mg/l) | | | DO Saturation (%) | | | Turbidity (NTU) | | | | Suspended Solids (mg/l) | | | |
|----------|---------------|-----------------|-------------------|-----------------------------------|------------------|------------------|------|-------|----------------|------|-------|-----------|-----|-------|-------------------|------|-------|-----------------|-----|-----|-------|-------------------------|-----|-----|-----|
| | | | | | | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** | | | |
| E1 | 0830-0849 | 47.8 | W | 0.8 | Surface | 27.6 | 27.7 | 27.7 | 25.1 | 25.0 | 25.1 | 6.1 | 6.2 | 6.1 | 89.4 | 90.1 | 89.8 | 1.2 | 1.2 | 1.2 | | 2.0 | 2.2 | 2.1 | |
| | | | | | Middle | 28.1 | 28.0 | 28.1 | 26.8 | 26.7 | 26.8 | 6.0 | 6.0 | 6.0 | 88.5 | 87.8 | 88.2 | 2.3 | 2.4 | 2.4 | 2.1 | 2.3 | 2.4 | 2.4 | 2.4 |
| | | | | | Bottom | 28.2 | 28.3 | 28.3 | 26.9 | 26.9 | 26.9 | 5.9 | 5.9 | 5.9 | 87.0 | 86.3 | 86.7 | 2.7 | 2.8 | 2.8 | | 2.7 | 2.8 | 2.8 | |
| G7 | 0853-0910 | 34.6 | W | 0.9 | Surface | 27.7 | 27.7 | 27.7 | 25.8 | 25.9 | 25.9 | 6.2 | 6.2 | 6.2 | 90.4 | 90.8 | 90.6 | 1.2 | 1.2 | 1.2 | | 2.2 | 2.1 | 2.2 | |
| | | | | | Middle | 28.1 | 28.0 | 28.1 | 25.9 | 25.9 | 25.9 | 6.0 | 6.0 | 6.0 | 88.2 | 87.4 | 87.8 | 1.5 | 1.5 | 1.5 | 1.5 | 2.5 | 2.6 | 2.6 | 2.5 |
| | | | | | Bottom | 28.1 | 28.2 | 28.2 | 26.1 | 26.1 | 26.1 | 5.8 | 5.8 | 5.8 | 85.4 | 85.0 | 85.2 | 1.9 | 1.8 | 1.9 | | 2.8 | 2.8 | 2.8 | |
| B3 | 0915-0931 | 14.2 | W | 0.6 | Surface | 27.8 | 27.7 | 27.8 | 25.6 | 25.6 | 25.6 | 5.4 | 5.4 | 5.4 | 78.0 | 79.7 | 78.9 | 1.5 | 1.5 | 1.5 | | 2.4 | 2.5 | 2.5 | |
| | | | | | Middle | 27.9 | 27.9 | 27.9 | 26.0 | 26.0 | 26.0 | 5.2 | 5.1 | 5.1 | 75.5 | 74.9 | 75.2 | 1.8 | 1.9 | 1.8 | 1.8 | 2.8 | 2.8 | 2.8 | 2.7 |
| | | | | | Bottom | 27.6 | 27.7 | 27.7 | 26.2 | 26.3 | 26.3 | 4.8 | 4.8 | 4.8 | 69.6 | 70.2 | 69.9 | 2.0 | 2.0 | 2.0 | | 2.9 | 3.0 | 3.0 | |
| B2 | 0936-0953 | 17.2 | W | 0.6 | Surface | 27.8 | 27.8 | 27.8 | 25.4 | 25.5 | 25.5 | 5.3 | 5.3 | 5.3 | 77.7 | 78.1 | 77.9 | 1.6 | 1.6 | 1.6 | | 2.5 | 2.6 | 2.6 | |
| | | | | | Middle | 27.7 | 27.6 | 27.7 | 25.5 | 25.6 | 25.6 | 5.3 | 5.2 | 5.3 | 77.4 | 76.8 | 77.1 | 1.9 | 1.9 | 1.9 | 1.9 | 2.8 | 2.9 | 2.9 | 2.8 |
| | | | | | Bottom | 27.5 | 27.5 | 27.5 | 25.6 | 25.7 | 25.7 | 5.1 | 5.2 | 5.1 | 75.0 | 75.6 | 75.3 | 2.1 | 2.1 | 2.1 | | 3.0 | 3.2 | 3.1 | |
| E6 | 0959-1016 | 27.4 | W | 0.9 | Surface | 27.8 | 27.8 | 27.8 | 25.6 | 25.7 | 25.7 | 5.8 | 5.8 | 5.8 | 84.4 | 85.0 | 84.7 | 1.6 | 1.7 | 1.7 | | 2.6 | 2.6 | 2.6 | |
| | | | | | Middle | 27.8 | 27.9 | 27.9 | 26.0 | 26.1 | 26.1 | 5.5 | 5.4 | 5.4 | 80.0 | 79.2 | 79.6 | 1.9 | 1.9 | 1.9 | 1.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| | | | | | Bottom | 27.7 | 27.8 | 27.8 | 26.3 | 26.3 | 26.3 | 5.4 | 5.4 | 5.4 | 78.5 | 78.9 | 78.7 | 2.1 | 2.0 | 2.1 | | 3.1 | 3.0 | 3.1 | |
| B1 | 1023-1038 | 11.8 | W | 0.8 | Surface | 27.8 | 27.9 | 27.9 | 25.5 | 25.5 | 25.5 | 5.5 | 5.4 | 5.4 | 80.1 | 79.4 | 79.8 | 1.7 | 1.8 | 1.8 | | 2.8 | 2.8 | 2.8 | |
| | | | | | Middle | 27.7 | 27.7 | 27.7 | 25.6 | 25.7 | 25.7 | 5.1 | 5.0 | 5.0 | 74.0 | 73.4 | 73.7 | 2.0 | 2.0 | 2.0 | 2.0 | 1.9 | 3.0 | 2.5 | 2.8 |
| | | | | | Bottom | 27.6 | 27.5 | 27.6 | 25.8 | 25.8 | 25.8 | 4.9 | 4.8 | 4.8 | 71.3 | 70.6 | 71.0 | 2.2 | 2.1 | 2.2 | | 3.3 | 3.2 | 3.3 | |
| G4 | 1043-1100 | 26.0 | W | 0.9 | Surface | 27.8 | 27.9 | 27.9 | 26.4 | 26.3 | 26.4 | 6.0 | 5.9 | 5.9 | 87.5 | 86.7 | 87.1 | 1.7 | 1.6 | 1.6 | | 2.6 | 2.6 | 2.6 | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.7 | 26.8 | 26.8 | 5.8 | 5.8 | 5.8 | 85.2 | 85.6 | 85.4 | 1.9 | 2.0 | 2.0 | 2.0 | 2.9 | 3.0 | 3.0 | 2.9 |
| | | | | | Bottom | 27.7 | 27.8 | 27.8 | 27.1 | 27.1 | 27.1 | 5.7 | 5.7 | 5.7 | 82.9 | 83.5 | 83.2 | 2.3 | 2.3 | 2.3 | | 3.2 | 3.3 | 3.3 | |
| E2 | 1104-1119 | 9.2 | W | 0.8 | Surface | 27.9 | 27.8 | 27.9 | 26.1 | 26.0 | 26.1 | 5.6 | 5.7 | 5.7 | 82.5 | 83.1 | 82.8 | 1.7 | 1.6 | 1.7 | | 2.7 | 2.6 | 2.7 | |
| | | | | | Middle | 27.7 | 27.6 | 27.7 | 26.2 | 26.2 | 26.2 | 5.4 | 5.5 | 5.4 | 79.2 | 79.8 | 79.5 | 2.0 | 2.1 | 2.0 | 2.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| | | | | | Bottom | 27.5 | 27.6 | 27.6 | 26.3 | 26.4 | 26.4 | 5.2 | 5.3 | 5.2 | 76.2 | 76.9 | 76.6 | 2.3 | 2.3 | 2.3 | | 3.3 | 3.2 | 3.3 | |
| C2 | 1124-1141 | 32.8 | W | 0.7 | Surface | 27.9 | 27.8 | 27.9 | 26.0 | 26.0 | 26.0 | 6.4 | 6.3 | 6.4 | 93.5 | 92.8 | 93.2 | 1.9 | 1.9 | 1.9 | | 3.0 | 2.9 | 3.0 | |
| | | | | | Middle | 27.7 | 27.6 | 27.7 | 26.4 | 26.3 | 26.4 | 6.2 | 6.3 | 6.2 | 91.2 | 91.7 | 91.5 | 2.0 | 2.0 | 2.0 | 2.0 | 3.0 | 3.2 | 3.1 | 3.1 |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 26.8 | 26.8 | 26.8 | 6.0 | 5.9 | 5.9 | 87.2 | 86.4 | 86.8 | 2.1 | 2.2 | 2.2 | | 3.2 | 3.3 | 3.3 | |
| F1 | 1148-1202 | 8.2 | W | 0.8 | Surface | 27.9 | 27.8 | 27.9 | 25.6 | 25.5 | 25.6 | 5.9 | 5.8 | 5.8 | 85.9 | 85.3 | 85.6 | 1.8 | 1.9 | 1.8 | | 2.8 | 2.8 | 2.8 | |
| | | | | | Middle | 27.7 | 27.7 | 27.7 | 25.7 | 25.6 | 25.7 | 5.0 | 4.9 | 4.9 | 72.9 | 72.1 | 72.5 | 2.1 | 2.1 | 2.1 | 2.1 | 3.0 | 3.1 | 3.1 | 3.1 |
| | | | | | Bottom | 27.6 | 27.5 | 27.6 | 25.8 | 25.7 | 25.8 | 4.8 | 4.9 | 4.9 | 70.9 | 71.7 | 71.3 | 2.4 | 2.4 | 2.4 | | 3.4 | 3.4 | 3.4 | |
| G3 | 1206-1221 | 14.0 | W | 0.7 | Surface | 27.9 | 27.9 | 27.9 | 25.6 | 25.7 | 25.7 | 5.4 | 5.3 | 5.4 | 79.3 | 78.6 | 79.0 | 1.9 | 2.0 | 2.0 | | 2.9 | 3.0 | 3.0 | |
| | | | | | Middle | 27.7 | 27.6 | 27.7 | 25.8 | 25.8 | 25.8 | 5.5 | 5.4 | 5.5 | 80.3 | 79.6 | 80.0 | 2.3 | 2.4 | 2.4 | 2.3 | 3.3 | 3.4 | 3.4 | 3.3 |
| | | | | | Bottom | 27.5 | 27.5 | 27.5 | 25.9 | 26.0 | 26.0 | 5.3 | 5.4 | 5.3 | 77.9 | 78.7 | 78.3 | 2.7 | 2.7 | 2.7 | | 3.7 | 3.6 | 3.7 | |
| E9 | 1225-1242 | 19.0 | W | 0.6 | Surface | 27.9 | 27.9 | 27.9 | 25.7 | 25.7 | 25.7 | 4.9 | 5.0 | 5.0 | 72.3 | 73.0 | 72.7 | 2.0 | 2.0 | 2.0 | | 3.0 | 2.9 | 3.0 | |
| | | | | | Middle | 27.6 | 27.7 | 27.7 | 25.8 | 25.9 | 25.9 | 5.0 | 5.1 | 5.0 | 73.6 | 74.2 | 73.9 | 2.5 | 2.5 | 2.5 | 2.5 | 3.3 | 3.5 | 3.4 | 3.4 |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 26.0 | 25.9 | 26.0 | 4.8 | 4.9 | 4.8 | 70.5 | 71.0 | 70.8 | 3.0 | 3.0 | 3.0 | | 3.9 | 4.0 | 4.0 | |

Remark or Observation:

Note: * Average ** Depth Average

Annex D6 Baseline Water Quality Monitoring Results during Mid-Ebb Tide for 21 September 2012

Date: 21-Sep-12
 Tide: Mid-Ebb
 Weather: Fine
 Sea Conditions: Small Wave
 Zone: B

| Location | Sampling Time | Water Depth (m) | Current direction | Current speed (ms ⁻¹) | Monitoring Depth | Temperature (°C) | | | Salinity (ppt) | | | DO (mg/l) | | | DO Saturation (%) | | | | Turbidity (NTU) | | | | Suspended Solids (mg/l) | | | |
|----------|---------------|-----------------|-------------------|-----------------------------------|------------------|------------------|------|-------|----------------|------|-------|-----------|-----|-------|-------------------|------|-------|--------|-----------------|-----|-------|--------|-------------------------|-----|-----|--|
| | | | | | | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | 1 | 2 | Ave.* | D.A.** | 1 | 2 | Ave.* | D.A.** | | | | |
| E1 | 1400-1415 | 46.4 | E | 0.8 | Surface | 27.8 | 27.7 | 27.8 | 25.0 | 25.1 | 25.1 | 5.8 | 5.8 | 5.8 | 84.4 | 85.0 | 84.7 | 1.3 | 1.3 | 1.3 | 2.2 | 2.3 | 2.3 | 2.6 | | |
| | | | | | Middle | 28.1 | 28.2 | 28.2 | 26.8 | 26.9 | 26.9 | 6.0 | 6.0 | 6.0 | 88.3 | 87.8 | 88.1 | 2.6 | 2.6 | 2.6 | 2.2 | 2.6 | 2.6 | 2.6 | 2.6 | |
| | | | | | Bottom | 28.3 | 28.4 | 28.4 | 26.9 | 26.9 | 26.9 | 6.0 | 5.9 | 5.9 | 87.7 | 87.1 | 87.4 | 2.8 | 2.8 | 2.8 | | 2.8 | 2.9 | 2.9 | 2.6 | |
| G7 | 1418-1433 | 32.3 | E | 0.7 | Surface | 27.9 | 27.8 | 27.9 | 25.8 | 25.9 | 25.9 | 5.9 | 5.8 | 5.8 | 85.7 | 85.3 | 85.5 | 1.5 | 1.5 | 1.5 | | 2.4 | 2.5 | 2.5 | | |
| | | | | | Middle | 28.0 | 28.1 | 28.1 | 25.9 | 26.0 | 26.0 | 5.8 | 5.8 | 5.8 | 85.1 | 85.8 | 85.5 | 2.0 | 2.0 | 2.0 | 2.1 | 2.9 | 3.0 | 3.0 | 2.8 | |
| | | | | | Bottom | 28.1 | 28.2 | 28.2 | 26.1 | 26.2 | 26.2 | 5.8 | 5.7 | 5.7 | 84.9 | 84.3 | 84.6 | 3.0 | 3.0 | 3.0 | | 3.0 | 3.1 | 3.1 | 2.8 | |
| B3 | 1437-1452 | 12.8 | E | 0.4 | Surface | 27.6 | 27.5 | 27.6 | 25.6 | 25.7 | 25.7 | 5.3 | 5.4 | 5.3 | 77.5 | 78.4 | 78.0 | 2.1 | 2.2 | 2.2 | | 3.2 | 3.2 | 3.2 | | |
| | | | | | Middle | 27.7 | 27.6 | 27.7 | 26.0 | 26.1 | 26.1 | 5.0 | 5.0 | 5.0 | 73.2 | 72.8 | 73.0 | 2.8 | 2.7 | 2.8 | 2.6 | 3.8 | 3.7 | 3.8 | 3.7 | |
| | | | | | Bottom | 27.6 | 27.6 | 27.6 | 26.2 | 26.3 | 26.3 | 4.6 | 4.7 | 4.7 | 68.2 | 68.8 | 68.5 | 3.0 | 3.0 | 3.0 | | 4.0 | 4.1 | 4.1 | 3.7 | |
| B2 | 1455-1513 | 15.4 | E | 0.3 | Surface | 27.6 | 27.6 | 27.6 | 25.4 | 25.5 | 25.5 | 5.2 | 5.3 | 5.2 | 76.6 | 77.2 | 76.9 | 2.4 | 2.4 | 2.4 | | 3.4 | 3.6 | 3.5 | | |
| | | | | | Middle | 27.5 | 27.4 | 27.5 | 25.5 | 25.6 | 25.6 | 5.2 | 5.2 | 5.2 | 76.9 | 76.6 | 76.8 | 2.9 | 3.0 | 2.9 | 2.8 | 4.0 | 4.1 | 4.1 | 3.9 | |
| | | | | | Bottom | 27.4 | 27.3 | 27.4 | 25.7 | 25.7 | 25.7 | 5.3 | 5.3 | 5.3 | 77.7 | 78.1 | 77.9 | 3.1 | 3.2 | 3.1 | | 4.1 | 4.2 | 4.2 | 3.9 | |
| E6 | 1518-1533 | 26.2 | E | 0.7 | Surface | 27.7 | 27.8 | 27.8 | 25.6 | 25.7 | 25.7 | 5.6 | 5.6 | 5.6 | 81.7 | 81.5 | 81.6 | 2.0 | 1.9 | 2.0 | | 3.0 | 2.9 | 3.0 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.1 | 26.2 | 26.2 | 5.4 | 5.3 | 5.4 | 79.1 | 78.4 | 78.8 | 2.3 | 2.3 | 2.3 | 2.4 | 3.3 | 3.3 | 3.3 | 3.4 | |
| | | | | | Bottom | 27.9 | 27.9 | 27.9 | 26.3 | 26.4 | 26.4 | 5.4 | 5.5 | 5.5 | 80.2 | 80.8 | 80.5 | 2.9 | 2.9 | 2.9 | | 3.8 | 3.9 | 3.9 | 3.4 | |
| B1 | 1538-1555 | 10.4 | E | 0.4 | Surface | 27.6 | 27.5 | 27.6 | 25.5 | 25.6 | 25.6 | 5.3 | 5.4 | 5.3 | 77.8 | 78.4 | 78.1 | 2.1 | 2.2 | 2.2 | | 3.1 | 3.2 | 3.2 | | |
| | | | | | Middle | 27.4 | 27.4 | 27.4 | 25.7 | 25.7 | 25.7 | 4.8 | 4.9 | 4.8 | 70.6 | 71.4 | 71.0 | 2.6 | 2.6 | 2.6 | 2.6 | 3.6 | 3.5 | 3.6 | 3.5 | |
| | | | | | Bottom | 27.4 | 27.3 | 27.4 | 25.8 | 25.9 | 25.9 | 4.5 | 4.6 | 4.5 | 66.6 | 67.1 | 66.9 | 2.9 | 3.0 | 2.9 | | 3.8 | 4.0 | 3.9 | 3.5 | |
| G4 | 1558-1615 | 24.8 | E | 0.8 | Surface | 27.9 | 27.8 | 27.9 | 26.4 | 26.5 | 26.5 | 5.8 | 5.8 | 5.8 | 85.4 | 84.8 | 85.1 | 1.8 | 1.8 | 1.8 | | 2.8 | 2.8 | 2.8 | | |
| | | | | | Middle | 27.8 | 27.8 | 27.8 | 26.7 | 26.8 | 26.8 | 5.8 | 5.8 | 5.8 | 84.5 | 84.8 | 84.7 | 2.4 | 2.4 | 2.4 | 2.3 | 3.5 | 3.4 | 3.5 | 3.3 | |
| | | | | | Bottom | 27.8 | 27.9 | 27.9 | 27.1 | 27.2 | 27.2 | 5.6 | 5.6 | 5.6 | 82.2 | 82.5 | 82.4 | 2.8 | 2.8 | 2.8 | | 3.8 | 3.7 | 3.8 | 3.3 | |
| E2 | 1617-1631 | 8.2 | E | 0.5 | Surface | 27.8 | 27.7 | 27.8 | 26.1 | 26.1 | 26.1 | 5.2 | 5.2 | 5.2 | 76.2 | 76.8 | 76.5 | 2.1 | 2.1 | 2.1 | | 3.0 | 3.2 | 3.1 | | |
| | | | | | Middle | 27.5 | 27.4 | 27.5 | 26.2 | 26.3 | 26.3 | 5.2 | 5.3 | 5.2 | 76.5 | 77.5 | 77.0 | 3.0 | 3.0 | 3.0 | 2.7 | 3.9 | 4.0 | 4.0 | 3.7 | |
| | | | | | Bottom | 27.4 | 27.3 | 27.4 | 26.3 | 26.4 | 26.4 | 5.1 | 5.1 | 5.1 | 74.7 | 74.9 | 74.8 | 3.0 | 3.0 | 3.0 | | 4.0 | 3.9 | 4.0 | 3.7 | |
| C2 | 1636-1651 | 30.8 | E | 0.4 | Surface | 27.8 | 27.7 | 27.8 | 26.0 | 26.1 | 26.1 | 6.2 | 6.2 | 6.2 | 91.4 | 91.0 | 91.2 | 2.1 | 2.1 | 2.1 | | 3.0 | 3.1 | 3.1 | | |
| | | | | | Middle | 27.6 | 27.6 | 27.6 | 26.5 | 26.4 | 26.5 | 6.2 | 6.2 | 6.2 | 90.4 | 90.7 | 90.6 | 2.2 | 2.3 | 2.2 | 2.3 | 3.0 | 3.3 | 3.2 | 3.3 | |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 26.8 | 26.9 | 26.9 | 5.7 | 5.7 | 5.7 | 83.4 | 83.9 | 83.7 | 2.6 | 2.5 | 2.6 | | 3.5 | 3.6 | 3.6 | 3.3 | |
| F1 | 1657-1712 | 7.6 | E | 0.4 | Surface | 27.8 | 27.7 | 27.8 | 25.5 | 25.6 | 25.6 | 5.6 | 5.6 | 5.6 | 82.1 | 82.0 | 82.1 | 2.5 | 2.4 | 2.4 | | 3.4 | 3.4 | 3.4 | | |
| | | | | | Middle | 27.6 | 27.5 | 27.6 | 25.6 | 25.7 | 25.7 | 4.5 | 4.6 | 4.5 | 66.3 | 66.9 | 66.6 | 3.0 | 2.9 | 3.0 | 2.8 | 3.9 | 4.0 | 4.0 | 3.8 | |
| | | | | | Bottom | 27.5 | 27.4 | 27.5 | 25.8 | 25.8 | 25.8 | 4.5 | 4.6 | 4.6 | 66.6 | 67.2 | 66.9 | 3.2 | 3.1 | 3.1 | | 4.2 | 4.1 | 4.2 | 3.8 | |
| G3 | 1714-1729 | 13.0 | E | 0.5 | Surface | 27.7 | 27.6 | 27.7 | 25.7 | 25.6 | 25.7 | 5.3 | 5.3 | 5.3 | 77.1 | 77.4 | 77.3 | 2.6 | 2.6 | 2.6 | | 3.6 | 3.6 | 3.6 | | |
| | | | | | Middle | 27.6 | 27.6 | 27.6 | 25.8 | 25.9 | 25.9 | 5.3 | 5.3 | 5.3 | 77.9 | 78.1 | 78.0 | 3.0 | 3.1 | 3.1 | 2.9 | 4.0 | 4.1 | 4.1 | 4.0 | |
| | | | | | Bottom | 27.4 | 27.3 | 27.4 | 26.0 | 26.1 | 26.1 | 5.4 | 5.4 | 5.4 | 79.0 | 79.2 | 79.1 | 3.2 | 3.2 | 3.2 | | 4.2 | 4.2 | 4.2 | 4.0 | |
| E9 | 1733-1750 | 18.0 | E | 0.3 | Surface | 27.6 | 27.5 | 27.6 | 25.7 | 25.8 | 25.8 | 4.6 | 4.7 | 4.6 | 67.5 | 68.1 | 67.8 | 2.8 | 2.8 | 2.8 | | 3.8 | 3.8 | 3.8 | | |
| | | | | | Middle | 27.4 | 27.4 | 27.4 | 25.8 | 25.8 | 25.8 | 4.7 | 4.8 | 4.7 | 69.4 | 69.8 | 69.6 | 3.2 | 3.2 | 3.2 | 3.1 | 4.2 | 4.2 | 4.2 | 4.1 | |
| | | | | | Bottom | 27.3 | 27.2 | 27.3 | 25.9 | 26.0 | 26.0 | 4.6 | 4.6 | 4.6 | 67.4 | 67.7 | 67.6 | 3.3 | 3.3 | 3.3 | | 4.3 | 4.4 | 4.4 | 4.1 | |

Remark or Observation:

Note: * Average ** Depth Average

ERM has over 140 offices
Across the following
countries worldwide

| | |
|------------|----------------------|
| Argentina | New Zealand |
| Australia | Panama |
| Belgium | Peru |
| Brazil | Poland |
| Canada | Portugal |
| China | Puerto Rico |
| Colombia | Romania |
| France | Russia |
| Germany | Singapore |
| Hong Kong | South Africa |
| Hungary | Spain |
| India | Sweden |
| Indonesia | Taiwan |
| Ireland | Thailand |
| Italy | The Netherlands |
| Japan | United Arab Emirates |
| Kazakhstan | United Kingdom |
| Korea | United States |
| Malaysia | Vietnam |
| Mexico | |

Environmental Resources Management

**16/F DCH Commercial Centre
25 Westlands Road
Quarry Bay, Hong Kong**

T: 2271 3000

F: 2723 5660

www.erm.com

